PATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2) Date of mailing (day/month/year)	Commissioner US Department of Commerce United States Patent and Trademark Office, PCT 2011 South Clark Place Room CP2/5C24 Arlington, VA 22202 ETATS-UNIS D'AMERIQUE
18 May 2001 (18.05.01)	in its capacity as elected Office
International application No. PCT/JP00/06471	Applicant's or agent's file reference 1236
International filing date (day/month/year)	Priority date (day/month/year)
21 September 2000 (21.09.00)	21 September 1999 (21.09.99)
Applicant	
IKEDA, Masato et al	
1. The designated Office is hereby notified of its election made X in the demand filed with the International Preliminary 29 March 2001 in a notice effecting later election filed with the International Preliminary 29 March 2001 was not was not made before the expiration of 19 months from the priority de Rule 32.2(b).	Examining Authority on: (29.03.01) ational Bureau on:
;	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Antonia Muller

Telephone No.: (41-22) 338.83.38

RECEIVED PATENT COOPER	ATION TREATY
MAY 2 8, 2001 7L:10	From the INTERNAT
PCT PCT	То:
INFORMATION CONCERNING ELECTED OFFICES NOTIFIED OF THEIR ELECTION	KYOWA HAKKO K 6-1, Ohtemachi 1-0

(PCT Rule 61.3)

From the INTERNATIONAL BUREAU

KYOWA HAKKO KOGYO CO., LTD. 6-1, Ohtemachi 1-Chome Chiyoda-ku Tokyo 100-8185 **JAPON**

Date of mailing (day/month/year)

18 May 2001 (18.05.01)

Applicant's or agent's file reference

1236

IMPORTANT INFORMATION

International application No. PCT/JP00/06471

International filing date (day/month/year) 21 September 2000 (21.09.00) Priority date (day/month/year)

21 September 1999 (21.09.99)

Applicant

KYOWA HAKKO KOGYO CO., LTD. et al

The applicant is hereby informed that the International Bureau has, according to Article 31(7), notified each of the following Offices of its election:

EP:AT,BE,CH,CY,DE,DK,ES,FI,FR,GB,GR,IE,IT,LU,MC,NL,PT,SE National: AU, BG, CA, CN, CZ, DE, IL, JP, KR, MN, NO, NZ, PL, RO, RU, SE, SK, US

2. The following Offices have waived the requirement for the notification of their election; the notification will be sent to them by the International Bureau only upon their request:

AP :GH,GM,KE,LS,MW,MZ,SD,SL,SZ,TZ,UG,ZW

EA:AM,AZ,BY,KG,KZ,MD,RU,TJ,TM

OA:BF,BJ,CF,CG,CI,CM,GA,GN,GW,ML,MR,NE,SN,TD,TG

National: AE, AG, AL, AM, AT, AZ, BA, BB, BR, BY, BZ, CH, CR, CU, DK, DM, DZ, EE, ES, FI, GB, GD,GE,GH,GM,HR,HU,ID,IN,IS,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,MG,MK,MW, MX,MZ,PT,SD,SG,SI,SL,TJ,TM,TR,TT,TZ,UA,UG,UZ,VN,YU,ZA,ZW

The applicant is reminded that he must enter the "national phase" before the expiration of 30 months from the priority date before each of the Offices listed above. This must be done by paying the national fee(s) and furnishing, if prescribed, a translation of the international application (Article 39(1)(a)), as well as, where applicable, by furnishing a translation of any annexes of the international preliminary examination report (Article 36(3)(b) and Rule 74.1).

Some offices have fixed time limits expiring later than the above-mentioned time limit. For detailed information about the applicable time limits and the acts to be performed upon entry into the national phase before a particular Office, see Volume II of the PCT Applicant's Guide.

The entry into the European regional phase is postponed until 31 months from the priority date for all States designated for the purposes of obtaining a European patent.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer:

Antonia Muller

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35





PCT

UCT 3 0, 2000 NOTIFICATION OF RECEIPT OF **RECORD COPY**

(PCT Rule 24.2(a))

From the INTERNATIONAL BUREAU

To:

KYOWA HAKKO KOGYO CO., LTD. 6-1, Ohtemachi 1-Chome Chiyoda-ku Tokyo 100-8185 **JAPON**

Date of mailing (day/month/year) 19 October 2000 (19.10.00)	IMPORTANT NOTIFICATION
Applicant's or agent's file reference 1236	International application No. PCT/JP00/06471

The applicant is hereby notified that the International Bureau has received the record copy of the international application as detailed below.

Name(s) of the applicant(s) and State(s) for which they are applicants:

KYOWA HAKKO KOGYO CO., LTD. (for all designated States except US)

IKEDA, Masato et al (for US)

International filing date

21 September 2000 (21.09.00)

Priority date(s) claimed

21 September 1999 (21.09.99)

Date of receipt of the record copy

by the International Bureau

06 October 2000 (06.10.00)

List of designated Offices

AP:GH,GM,KE,LS,MW,MZ,SD,SL,SZ,TZ,UG,ZW

EA: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

EP:AT,BE,CH,CY,DE,DK,ES,FI,FR,GB,GR,IE,IT,LU,MC,NL,PT,SE

OA:BF,BJ,CF,CG,CI,CM,GA,GN,GW,ML,MR,NE,SN,TD,TG

National: AE,AG,AL,AM,AT,AU,AZ,BA,BB,BG,BR,BY,BZ,CA,CH,CN,CR,CU,CZ,DE,DK,DM,DZ,EE, ES,FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KR,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,

MG,MK,MN,MW,MX,MZ,NO,NZ,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,TZ,UA,UG,US,UZ,

VN,YU,ZA,ZW

ATTENTION

The applicant should carefully check the data appearing in this Notification. In case of any discrepancy between these data and the indications in the international application, the applicant should immediately inform the International Bureau.

In addition, the applicant's attention is drawn to the information contained in the Annex, relating to:

time limits for entry into the national phase

confirmation of precautionary designations

requirements regarding priority documents

A copy of this Notification is being sent to the receiving Office and to the International Searching Authority.


The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer:

Shinji IGARASHI

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35



PATENT COOPERATION TAKENTY

WPBJD

From the INTERNATIONAL BUREAU

PCT

HOTIFICATION CONCERNING
BMISSION OR TRANSMITTAL

SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

KYOWA HAKKO KOGYO CO., LTD. 6-1, Ohtemachi 1-Chome Chiyoda-ku Tokyo 100-8185 JAPON

Date of mailing (day/month/year) 20 November 2000 (20.11.00)	
Applicant's or agent's file reference 1236	IMPORTANT NOTIFICATION
International application No.	International filing date (day/month/year)
PCT/JP00/06471	21 September 2000 (21.09.00)
International publication date (day/month/year)	Priority date (day/month/year)
Not yet published	21 September 1999 (21.09.99)
Applicant	· · · · · · · · · · · · · · · · · · ·
KYOWA HAKKO KOGYO CO., LTD. et al	

- 1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date

Priority application No.

Country or regional Office or PCT receiving Office

Date of receipt of priority document

21 Sept 1999 (21.09.99)

11/266548

JP

15 Nove 2000 (15.11.00)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Carlos Naranjo

m

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

PATENT COOPERATION 7 LJP From the INTERNATIONAL BUREAU **PCT** NOV - 6, 2000 JL:10 KYOWA HAKKO KOGYO CO., LTD. 6-1, Ohtemachi 1-Chome Chiyoda-ku CATION IN CASES FOR WHICH OTHER FORM IS APPLICABLE Tokyo 100-8185 **JAPON** Date of mailing (day/month/year) 20 October 2000 (20.10.00) Applicant's or agent's file reference REPLY DUE see paragraph 1 below International application No. International filing date (day/month/year) PCT/JP00/06471 21 September 2000 (21.09.00) Applicant KYOWA HAKKO KOGYO CO., LTD. REPLY DUE within _____ months/days from the above date of mailing NO REPLY DUE, however, see below IMPORTANT COMMUNICATION INFORMATION ONLY 2. COMMUNICATION: The International Bureau acknowledges receipt on 06 October 2000 (06.10.00) of Form PCT/RO/134 filed together with the international application. The international Bureau will publish this Form in the pamphlet with the following entry on the cover sheet of the pamphlet: "With an indication in relation to deposited biological material furnished under PCT Rule 13bis separately from the description".

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Shinji IGARASHI

Facsimile No. (41-22) 740.14.35 Telephone No. (41-22) 338.83.38



VERIFICATION OF TRANSLATION

I, Kazuyo Saito
of c/o KYOWA HAKKO KOGYO CO., LTD. located at 6-1, Ohtemachi
1-chome, Chiyoda-ku, Tokyo, Japan
declare as follows:

- 1. That I am well acquainted with both the English and Japanese languages, and
- 2. That the attached document is a true and correct translation made by me to the best of my knowledge and belief of PCT Application No. PCT/JP00/06471.

March 5, 2002 (Date)

(Signature of Translator)





国際調査報告

(法8条、法施行規則第40、41条) [PCT18条、PCT規則43、44]

出願人又は代理人 の書類記号 1236	今後の手続きについては、国際調査報告の送付通知様式(PCT/ISA/220) 及び下記5を参照すること。					
国際出願番号 PCT/JP00/06471	国際出願日 (日.月.年) 2	21. 09. 00	優先日 (日.月.年)	21.09.99		
出願人 (氏名又は名称) 協和醗酵工美	铁式会社					
,				·		
国際調査機関が作成したこの国際調査 この写しは国際事務局にも送付される		第41条(PCT18彡	条) の規定に従い出	出願人に送付する。		
この国際調査報告は、全部で 2	ページである。	·	·			
□ この調査報告に引用された先行打	を術文献の写しも添作	付されている。				
1. 国際調査報告の基礎 a. 言語は、下記に示す場合を除く □ この国際調査機関に提出さ	ほか、この国際出版 れた国際出願の翻訳	頭がされたものに基っ 【文に基づき国際調査	づき国際調査を行っ を行った。	・ った。 ^{・・・・・・・・・} ・・・・・・・・・・・・・・・・・・・・・・・・・・・		
b. この国際出願は、ヌクレオチト この国際出願に含まれる書		を含んでおり、次の酢	己列表に基づき国際	※調査を行った。		
🗵 この国際出願と共に提出さ	れたフレキシブルデ	ィスクによる配列表				
□ 出願後に、この国際調査機	関に提出された書面	による配列表				
□ 出願後に、この国際調査機	関に提出されたフレ	キシブルディスクに	よる配列表			
□ 出願後に提出した書面によ 書の提出があった。				事項を含まない旨の陳述		
※ 書面による配列表に記載し 書の提出があった。	た配列とフレキシブ	ルディスクによる配	列表に記録した配	列が同一である旨の陳述		
2. 請求の範囲の一部の調査が	できない(第I欄都	多 照)。				
3. 原明の単一性が欠如してい	る(第Ⅱ欄参照)。 ·					
4. 発明の名称は 🗵 出願	[人が提出したものを	を承認する。				
□ 次に	示すように国際調査	査機関が作成した。				
						
5. 要約は 🗵 出解	i人が提出したものを	を承認する。				
国際	調査機関が作成した		際調査報告の発送	38.2(b)) の規定により 他の日から1カ月以内にこ		
6. 要約書とともに公表される図は、 第 図とする。 □ 出願	人が示したとおりて	である。				
□ 出解	人は図を示さなかっ	った。	- 			
□ 本図	は発明の特徴を一層	量よく表している。				

Α.	発明の属する分野の分類	(国際特許分類	7.1	PC)	١
А.	光明の腐りる万野の万級	(四际竹矸万知	(I	$F \cup I$	•

Int. Cl⁷ Cl2N 9/10, Cl2N 15/54, Cl2N 1/21, Cl2P 19/18

B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl' C12N 9/10, C12N 15/54, C12N 1/21, C12P 19/18

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース(データベースの名称、調査に使用した用語)

GenBank/EMBL/DDBJ/GeneSeq, SwissProt/PIR/GeneSeq, WPI (DIALOG), BIOSIS (DIALOG), MEDLINE (STN)

引用文献の	3と認められる文献	関連する
カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	請求の範囲の番号
Х	KOHLER, U. et al. "Transaldolase genes from the cyanobacteria Anabaena variabilis and Synechocystis sp. PCC 6803:comparis on with other eubacterial and eukaryotic homologues", Plant Mol. Biol. (1996) Vol. 30, No. 1, p. 213-218, Acc. No. P55193	2-4, 6-16
X	COLE, S. T. et al. "Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence", Nature (1998) Vol. 393, No. 6685, p. 537-544, Acc. No. C70917	2-4, 6-16

□ C欄の続きにも文献が列挙されている。

パテントファミリーに関する別紙を参照。

- * 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「〇」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

- の日の後に公表された文献
- 「T」国際出願日又は優先日後に公表された文献であって 出願と矛盾するものではなく、発明の原理又は理論 の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日 19.10.00 国際調査機関の名称及びあて先 国際調査機関の名称及びあて先 特許庁審査官(権限のある職員) 4

国院調査機関の名称及いのした 日本国特許庁(ISA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号 | 特許庁番登目(権限のある職員) | 高堀 栄二 4B 9281

電話番号 03-3581-1101 内線 3448

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/06471

	SIFICATION OF SUBJECT MATTER . Cl ⁷ C12N 9/10, C12N 15/54, C12	N 1/21, C12P 19/18						
According t	According to International Patent Classification (IPC) or to both national classification and IPC							
<u>_</u>	S SEARCHED							
Minimum d Int	ocumentation searched (classification system followed . C1 ⁷ C12N 9/10, C12N 15/54, C12	by classification symbols) N 1/21, C12P 19/18						
Documenta	tion searched other than minimum documentation to the	extent that such documents are included	in the fields searched					
GenI	lata base consulted during the international search (nam Bank/EMBL/DDBJ/GeneSeq, SwissProt EDLINE (STN)	e of data base and, where practicable, sean /PIR/GeneSeq, WPI (DIALOG)	ch terms used) , BIOSIS (DIALOG					
C. DOCU	MENTS CONSIDERED TO BE RELEVANT							
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.					
х	KOHLER, U. et al., "Transaldolase genes from the cyanobacteria Anabaena variabilis and Synechocystis sp.PCC 6803:comparis on with other eubacterial and eukaryotic homologues", Plant Mol. Biol. (1996) Vol.30, No.1, pp.213-218, Acc. No. P55193							
x	COLE, S. T. et al., "Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence", Nature (1998) Vol.393, No.6685, pp.537-544, Acc. No. C70917							
		, , , , , , , , , , , , , , , , , , ,						
	·							
Furthe	r documents are listed in the continuation of Box C.	See patent family annex.						
Specia "A" docum	categories of cited documents:	"I" later document published after the inte priority date and not in conflict with th						
conside	ent defining the general state of the art which is not cred to be of particular relevance	understand the principle or theory und	erlying the invention					
"E" earlier document but published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is step when the document is taken alone "I" additional filing document which may throw doubts on priority claim(s) or which is								
cited to establish the publication date of another citation or other "Y" document of particular relevance; the claimed invention cannot be special reason (as specified) considered to involve an inventive step when the document is								
"O" document referring to an oral disclosure, use, exhibition or other combined with one or more other such documents, such means combination being obvious to a person skilled in the art								
"P" document published prior to the international filing date but later "&" document member of the same patent family than the priority date claimed								
	Date of the actual completion of the international search 19 October, 2000 (19.10.00) Date of mailing of the international search report 31 October, 2000 (31.10.00)							
	nailing address of the ISA/	Authorized officer						
Japa	anese Patent Office	,						
Facsimile N	o.	Teleph ne N .						

For receiving Office use only International Application No. REQUEST International Filing Date The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty. Name of receiving Office and "PCT International Application" Applicant's or agent's file reference (if desired) (12 characters maximum) 1236 Box No. I TITLE OF INVENTION NOVEL TRANSALDOLASE GENE Box No. II **APPLICANT** Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State This person is also inventor. of residence is indicated below.) Telephone No. KYOWA HAKKO KOGYO CO., LTD. 03-3282-0036 6-1, Ohtemachi 1-chome, Chiyoda-ku, Facsimile No. Tokyo 100-8185 Japan <u>03-3282-1527</u> Teleprinter No. State (that is, country) of nationality: State (that is, country) of residence: JΡ all designated States all designated States except the United States of America This person is applicant the United States the States indicated in for the purposes of: of America only the Supplemental Box Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only IKEDA Masato applicant and inventor c/o Tokyo Research Laboratories KYOWA HAKKO KOGYO CO., LTD. inventor only (If this check-box is marked, do not fill in below.) 6-6, Asahi-machi 3-chome, Machida-shi, Tokyo 194-8533 Japan State (that is, country) of nationality: State (that is, country) of residence: JΡ JΡ This person is applicant all designated States all designated States except the United States of America the United States the States indicated in for the purposes of: of America only the Supplemental Box Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent. Form PCT/RO/101 (first sheet) (July 1998; reprint January 2000)

The person identified below is hereby/has been appointed to act on behalf

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)

of the applicant(s) before the competent International Authorities as:


See Notes to the request form

common representative

Telephone No.

Facsimile No.

Teleprinter No.



Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)						
If none of the following sub-boxes is used, this sheet should not be included in the request.						
Name and address: (Family name followed by given name; for a leader gration. The address must include postal code and name of counts address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) TAKANO Yutaka c/o Tokyo Research Laboratories KYOWA HAKKO KOGYO CO., LTD. 6-6, Asahi-machi 3-chome, Machi- Tokyo 194-8533 Japan	[This person is: applicant only X applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
	State (that is, country) of resi-	dence:				
JP		JP				
This person is applicant all designated all designated States all designated States all designated States.		ted States indicated in the Supplemental Box				
Name and address: (Family name followed by given name: for a leg designation. The address must include postal code and name of country address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) NAKANO Tetsuo c/o Ube Plant KYOWA HAKKO KOGYO CO., LTD. 2548, Ohaza-Fujimagari, Ube-shi Yamaguchi 755-8501 Japan	. [This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
	State (that is, country) of resid					
This person is applicant all designated all designated St	the TI-in	JP				
This person is applicant all designated States all designated States all designated States	s of America X of Amer	the States indicated in the Supplemental Box				
Name and address: (Family name followed by given name; for a leg designation. The address must include postal code and name of country address indicated in this Box is the applicant's State (that is, country) of residence is indicated below.) KAMADA Nozomu c/o Tokyo Research Laboratories KYOWA HAKKO KOGYO CO., LTD. 6-6, Asahi-machi 3-chome, Machi- Tokyo 194-8533 Japan]	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
	State (that is, country) of resi	dence:				
JP This person is applicant all designated all designated S		JP				
for the purposes of: all designated all designated the United States all designated States	es of America X of Ame	the States indicated in the Supplemental Box				
Name and address: (Family name followed by given name; for a leg designation. The address must include postal code and name of counts address indicated in this Box is the applicant's State (that is, country) of of residence is indicated below.)	gal entity, full official ry. The country of the of residence if no State	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (that is, country) of nationality:	State (that is, country) of resid	lence:				
This person is applicant all designated all designated for the purposes of:		ited States the States indicated in the Supplemental Box				
Further applicants and/or (further) inventors are indicated on another continuation sheet.						

Box No.V DESIGNATION OF STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes, at least one must be marked):

Regional Patent

- AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

Na	tiona	l Patent (if other kind of protection or treatment desired, spec	ify on	dotte	ed line):
		United Arab Emirates	F	.R	Liberia
وير	ΑL	Albania		LS	Lesotho
	AM	Armenia			Lithuania
7	ΑT	Austria			Luxembourg
150	ΑU	Australia	= '		Latvia
		Azerbaijan			Morocco
	BA	Bosnia and Herzegovina			Republic of Moldova
20	BB	Barbados			Madagascar
	BG	Bulgaria			The former Yugoslav Republic of Macedonia
		Brazil		VIIL	The former rugostav Republic of Maccuonia
		Belarus	Part 1	MN	Mongolia
_		Canada			Malawi
	CH:	and LI Switzerland and Liechtenstein	_		Mexico
		China			Norway
		Costa Rica	_		New Zealand
		Cuba			Poland
道	CZ	Czech Republic		_	Portugal
		Germany		_	Romania
		Denmark			Russian Federation
	DM	Dominica			Sudan
78	EE	Estonia			Sweden
	ES	Spain			Singapore
~~ <u>`</u>	FI	Finland			Slovenia
	GB	United Kingdom			Slovakia
		Grenada			Sierra Leone
	GE	Georgia			Tajikistan
		Ghana	1.3		Turkmenistan
_		Gambia	1 1		Turkey
	HR	Croatia			Trinidad and Tobago
_	HU	*	13		United Republic of Tanzania
	ID	Indonesia			Ukraine
M	IL	Israel			Uganda
	IN	India			United States of America
_	IS	Iceland	_	-	
=	JP	Japan	H	UZ.	Uzbekistan
=		Kenya			Viet Nam
-		Kyrgyzstan			Yugoslavia
		Democratic People's Republic of Korea	==	ZA	South Africa
_		Democratic People's Republic of Rolea			Zimbabwe
`.B	KP	Republic of Korea			
		Kazakhstan	beco	ome	poxes reserved for designating States which have party to the PCT after issuance of this sheet:
=		Saint Lucia	24	.DZ	"
=		Sri I anka	775	ΜZ	Z ✓ .BZ

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Sheet No. ...4

Box No. VI PRIORITY CLAIM Further priority claims are indicated in the Supplemental Box					
Filing date	4	Number		Where earlier applicat	
of earlier application (day/month/year)	of ear	lier application	national application:	regional application:* regional Office	international application: receiving Office
item (1)					
21.09.99	266	548/99	JP	·	
item (2)		,			
·		<u></u>			
item (3)			,	,	
of the earlier application(s) (only if	the earlier appl	smit to the International Bu ication was filed with the the receiving Office) identif	Office which for the	(1)
* Where the earlier application is Convention for the Protection of I	an ARIPO ndustrial Pi	application, it is m roperty for which ti	nandatory to indicate in the Su hat earlier application was file	ipplemental Box at least on ed (Rule 4.10(b)(ii)). See Si	ne country party to the Paris applemental Box.
Box No. VII INTERNATION	ONAL SE	ARCHING AU	THORITY		
Choice of International Searce (if two or more International Searce competent to carry out the intern	earching Au national sec	ithorities are sea arch, indicate	equest to use results of ear	requested from the Interna	tional Searching Authority):
the Authority chosen; the two-letter	r coae may	be usea): Da	ate (day/month/year)	Number	Country (or regional Office)
Box No. VIII CHECK LIS	T; LANG	GUAGE OF FIL	ING		
This international application the following number of shee	contains	This internation	nal application is accompa	nied by the item(s) mark	ed below:
request :	4	1. Tee calci			
description (excluding	26	<i>.</i> — •	signed power of attorney		
sequence listing part) :	2	1 =	general power of attorney,	ŕ	y :
claims :	2 1	1 —	nt explaining lack of signat		
abstract :	0 .		document(s) identified in E		
drawings : sequence listing part	12	1 —	on of international applicat	, , ,	
of description :			indications concerning de	•	-
Total number of sheets:	45	9. other (s	ide and/or amino acid seque Written Stat pecify: information	tement and Doc	ument providing and format, etc.
Figure of the drawings which should accompany the abstract			anguage of filing of the nternational application:	the Japan	
Box No. IX SIGNATURE	OF APP	LICANT OR A	GENT		
Next to each signature, indicate the r	name of the p	erson signing and th	e capacity in which the person sig	gns (if such capacity is not obv	ious from reading the request).
			IKEDA Masato	naka	NÓ Tetsuo
			•		
KYOWA HAKKO K	OGYO	CO., LTI			
TAKANO Yutaka KAMADA Nozomu					
Date of actual receipt of tiperrectional application:	he purport		receiving Office use only	:	2. Drawings:
international application: 3. Corrected date of actual receipt due to later but timely received papers or drawings completing					received:
Date of timely receipt of the corrections under PCT As	the require	:d			not received:
5. International Searching A (if two or more are compe	uthority T			ttal of search copy delay-	ed
		•	ternational Bureau use only		· · · · · · · · · · · · · · · · · · ·
Date of receipt of the record by the International Bureau:	сору	roi iii	Dureau use omy	,	

WO 01/21774 PCT/JP00/06471

APR - 9, 2001

PCT

WPC JD

From the INTERNATIONAL BUREAU

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

To:

JAPON

KYOWA HAKKO KOGYO CO., LTD. 6-1, Ohtemachi 1-Chome Chiyoda-ku Tokyo 100-8185

Date of mailing (day/month/year)

29 March 2001 (29.03.01)

Applicant's or agent's file reference

1236

IMPORTANT NOTICE

International application No. PCT/JP00/06471

International filing date (day/month/year)

Priority date (day/month/year)

21 September 2000 (21.09.00)

21 September 1999 (21.09.99)

Applicant

KYOWA HAKKO KOGYO CO., LTD. et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: AU, KR, US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AG,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,BZ,CA,CH,CN,CR,CU,CZ,DE,DK,DM,DZ,EA,EE,EP,ES, FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,MG,MK, MN,MW,MZ,NO,NZ,OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,TZ,UA,UG,UZ,VN,YU, The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 29 March 2001 (29.03.01) under No. WO 01/21774

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

R	E(E	V		0
	125007	29 9010	_	_	

MAR - 6, 2002NOT) FICATION OF TRANSMITTAL OF COPIES OF TRANSLATION THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 72.2)

From the INTERNATIONAL BUREAU

To:

KYOWA HAKKO KOGYO CO., LTD. 6-1. Ohtemachi 1-Chome Chivoda-ku Tokyo 100-8185 **JAPON**

Date of mailing (day/month/year) 20 February 2002 (20.02.02)	
Applicant's or agent's file reference 1236	IMPORTANT NOTIFICATION
International application No.	International filing date (day/month/year)
PCT/JP00/06471	21 September 2000 (21.09.00)
Applicant KYOWA HAKKO KOGYO CO., LTD. et al	

1. Transmittal of the translation to the applicant.

The International Bureau transmits herewith a copy of the English translation made by the International Bureau of the international preliminary examination report established by the International Preliminary Examining Authority.

2. Transmittal of the copy of the translation to the elected Offices.

The International Bureau notifies the applicant that copies of that translation have been transmitted to the following elected Offices requiring such translation:

EP,AT,CA,CH,CN,FI,NO,NZ,RO,RU,SK,US

The following elected Offices, having waived the requirement for such a transmittal at this time, will receive copies of that translation from the International Bureau only upon their request:

AP,EA,AE,AG,AL,AM,AU,AZ,BA,BB,BG,BR,BY,BZ,CR,CU,CZ,DE,DK,DM,DZ,EE,ES,GB,GD,GE,GH, GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KR,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,MG,MK,MN,NW,MX,MZ, PL,PT,SD,SE,SG,SI,SL,TJ,TM,TR,TT,TZ,UA,UG,UZ,VN,YU,ZA,ZW,OA

3. Reminder regarding translation into (one of) the official language(s) of the elected Office(s).

The applicant is reminded that, where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report.

It is the applicant's responsibility to pr par and furnish such translation directly to each elected Offic concerned (Rule 74.1). See Volum II of th PCT Applicant's Guide for further details.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Eliott PERETTI

Telephone No. (41-22) 338.83.38

Form PCT/IB/338 (July 1996)

Facsimile No. (41-22) 740.14.35

4674626

87 Slation

PATENT COOPERATION TREA.

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 1236	FOR FURTHER ACTION	FURTHER ACTION SeeNotificationofTransmittalofInternational Preliminary Examination Report (Form PCT/IPEA/416)									
International application No. PCT/JP00/06471	International filing date (day/n 21 September 2000 (2)		Priority date (day/month/year) 21 September 1999 (21.09.99)								
International Patent Classification (IPC) or na C12N 9/10, 15/54, 1/21, C12P 19	tional classification and IPC										
Applicant K	YOWA HAKKO KOGYO	O CO., LTD									
This international preliminary examinand is transmitted to the applicant account and international preliminary examination.	ation report has been prepared ording to Article 36.	by this Interna	ational Preliminary Examining Authority								
2. This REPORT consists of a total of This report is also accompan	ed by ANNEXES, i.e., sheets	s of the descri	ption, claims and/or drawings which have								
been amended and are the bas Rule 70.16 and Section 607 o	s for this report and/or sheets of the Administrative Instruction	containing rect	tifications made before this Authority (see								
These annexes consist of a tot	ıl ofsheets.										
3. This report contains indications relat	ng to the following items:										
$_{ m I}$ Basis of the report			•								
II Priority											
Non-establishment of opinion with regard to novelty, inventive step and industrial applicability											
IV Lack of unity of inve	ntion										
Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicabil citations and explanations supporting such statement VI Certain documents cited VII Certain defects in the international application											
						VIII Certain observations on the international application					
Date of submission of the demand	Date o	of completion o	of this report								
29 March 2001 (29.03	.01)	24	July 2001 (24.07.2001)								
Name and mailing address of the IPEA/JP	Autho	rized officer									
Facsimile No.	Telep	hone No.									

International application No.

PCT/JP00/06471

I. Basis of the report
1. With regard to the elements of the international application:*
the international application as originally filed
the description:
as originally filed
filed with the demand
pages, filed with the letter of
the claims:
pages, as originally filed
pages, as amended (together with any statement under Article 19
pages, filed with the demand
pages, filed with the letter of
the drawings:
pages, as originally filed
pages, filed with the demand
pages, filed with the letter of
the sequence listing part of the description:
pages, as originally filed
pages, filed with the demand
2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language which is
the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
the language of publication of the international application (under Rule 48.3(b)).
the language of the translation furnished for the purposes of international preliminary examination (under Rule 55.2 and
or 55.3).
3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:
contained in the international application in written form.
filed together with the international application in computer readable form.
furnished subsequently to this Authority in written form.
furnished subsequently to this Authority in computer readable form.
The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the
international application as filed has been furnished.
The statement that the information recorded in computer readable form is identical to the written sequence listing habeen furnished.
4. The amendments have resulted in the cancellation of:
the description, pages
the claims, Nos.
the drawings, sheets/fig
5. This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**
* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rule 70.1 and 70.17).
** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

tement			
Novelty (N)	Claims	1,5,7-16	YE
	Claims	2-4,6	NO
Inventive step (IS)	Claims	1,5	YE
	Claims	2-4,6-16	NO
Industrial applicability (IA)	Claims	1-16	YE
	Claims		NC

2. Citations and explanations

Document 1: Kohler, U. et al., Plant Mol. Biol. Vol. 30, No. 1, 1996, pp. 213-218 Document 2: Cole, S. T. et al., Nature, Vol. 393, No. 6685, 1998, pp. 537-544


Based on the descriptions in documents 1 and 2 cited in the international search report, the inventions set forth in Claims 2-4 and 6 do not appear to be novel and do not appear to involve an inventive step. Documents 1 and 2 describe a polypeptide having transaldolase activity and comprising an amino acid sequence in which 1 or more amino acids have been deleted from, substituted in, or added to the amino acid sequence identified as Sequence ID No. 1, and the DNA that codes for that polypeptide, as well as a polypeptide having transaldolase activity that contains an amino acid sequence having 60% or greater homology with the amino acid sequence identified as Sequence ID No. 1, and the DNA that codes for that polypeptide.

Based on the descriptions in documents 1 and 2, the inventions set forth in Claims 7-16 do not appear to involve an inventive step. Persons skilled in the art can easily culture a transformant in which the DNA that codes for the polypeptide described in documents 1 and 2 is introduced into a suitable host, and cause that polypeptide, an aromatic amino acid, aromatic vitamin, L-histidine, riboflavin, nucleic acid and nucleic acid-substance substance to be produced in the cultured cells.

None of the documents cited in the international search report describes the inventions set forth in Claims 1 and 5, and therefore these inventions appear to be novel and appear to involve an inventive step. Documents 1 and 2 do not describe the polypeptide comprising the amino acid sequence identified as Sequence ID No. 1 and the DNA having the base sequence identified as Sequence ID No. 2, and persons skilled in the art could not easily conceive of these matters.

i LET

特 許 協 力 条



国際予備審查報告

PCT

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の書類記号 1236	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。					
国際出願番号 PCT/JP00/06471	国際出願日(日.月.年)	21.09.00	優先日 (日.月.年)	21.09.99		
国際特許分類 (IPC) Int.Cl' C12N 9/10, C12N 15/54, C12N 1/21, C12P 19/18						
出願人(氏名又は名称) 協和醗酵工業株式会社						
1. 国際予備審査機関が作成したこの国際予備審査報告を法施行規則第57条(PCT36条)の規定に従い送付する。						
2. この国際予備審査報告は、この表紙	を含めて全部で	3	ページからなる。			
この国際予備審査報告には、附属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審査機関に対してした訂正を含む明細書、請求の範囲及び/又は図面も添付されている。 (PCT規則70.16及びPCT実施細則第607号参照) この附属書類は、全部で ページである。						
3. この国際予備審査報告は、次の内容	を含む。					
I X 国際予備審査報告の基礎		,				
Ⅱ 優先権				·		
Ⅲ 別 新規性、進歩性又は産業」	上の利用可能性につ	ついての国際予備審	査報告の不作成			
IV						
V × PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるため						
の文献及び説明 VI						
VII 国際出願の不備						
VII 国際出願に対する意見		,				
		 				
国際予備審査の請求書を受理した日 29.03.01 国際予備審査報告を作成した日 24.07.01) 1			
名称及びあて先		特許庁審査官(権	極限のある職員)	4B 9281		
日本国特許庁 (IPEA/JP) 郵便番号100-8915		高堀	第二 (4)			

電話番号 03-3581-1101 内線

3448

THIS PAGE BLANK (USPTO)

			· · · · · · · · · · · · · · · · · · ·				
I	. [国際予備審査報	设告の基礎 			1	
1	Ç		こ提出された差し				Γ14条)の規定に基づく命令に 本報告書には添付しない。
	×	出願時の国際	於出願書類				
		明細書 明細書 明細書	第 第 第		ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と	
		請求の範囲 請求の範囲 請求の範囲 請求の範囲	第 第 第 第 第		項、 項、 項、 項、	出願時に提出されたもの PCT19条の規定に基 国際予備審査の請求書と	基づき補正されたもの
		図面 図面	第 第 第		ページ/図、 ページ/図、 ページ/図、	出願時に提出されたもの 国際予備審査の請求書と	
		明細書の配列	表の部分 第 表の部分 第 表の部分 第		ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と	
2.	١	上記の出願書類	何の言語は、下記	に示す場合を関	余くほか、この)国際出願の言語である。	
上記の書類は、下記の言語である 語である。 □ 国際調査のために提出されたPCT規則23.1(b)にいう翻訳文の言語 □ PCT規則48.3(b)にいう国際公開の言語 □ 国際予備審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語 3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際予備審査報告を行った。 □ この国際出願に含まれる書面による配列表 □ この国際出願と共に提出されたフレキシブルディスクによる配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表 □ 出願後に、この国際予備審査(または調査)機関に提出されたフレキシブルディスクによる配列表 □ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述							
	_	書の提出	る配列表に記載し があった。		キシブルディ	スクによる配列表に記録	した配列が同一である旨の陳述
4.		間上により、ト 明細書 請求の範囲 図面	記の書類が削除 第 第 図面の第		ページ 項 ペーシ	· /図	•
5.		れるので、そ	審査報告は、補 の補正がされなる る判断の際に考	かったものとし	レて作成した。	(PCT規則70.2(c) こ	施囲を越えてされたものと認めら この補正を含む差し替え用紙は上

THIS PAGE BLANK (USPTO)



国際出版場 PCT/JP00/06471

v.	新規性、進歩性又は産業上の利用可能性につ 文献及び説明	ついての法第12条	: (PCT35条(2)) に定める見解、	
1.	見解			
	新規性(N)	請求の範囲 _ 請求の範囲 _	1, 5, 7-16 2-4, 6	有 無
	進歩性(IS)	請求の範囲 _ 請求の範囲 _	1, 5 2-4, 6-16	有 無
	産業上の利用可能性(IA)	請求の範囲 _	1-16	有

2. 文献及び説明 (PCT規則70.7)

文献 1 : KOHLER, U. et al., Plant Mol. Biol. (1996) Vol. 30, No. 1, p. 213-218 文献 2 : COLE, S. T. et al., Nature (1998) Vol. 393, No. 6685, p. 537-544

請求の範囲2-4、6は、国際調査で引用された文献1又は文献2により新規性及び進歩性を有しない。文献1、2には、配列番号1記載のアミノ酸配列において、1以上のアミノ酸が欠失、置換若しくは付加されたアミノ酸配列からなり、かつトランスアルドラーゼ活性を有するポリペプチド、該ポリペプチドをコードするDNA、配列番号1記載のアミノ酸配列と60%以上の相同性を有するアミノ酸配列を含み、かつトランスアルドラーゼ活性を有するポリペプチド、該ポリペプチドをコードするDNAが記載されている。

請求の範囲 7-16は、文献1又は文献2により進歩性を有しない。文献1、2に記載されている前記ポリペプチドをコードするDNAを適当な宿主に組み込んだ形質転換体を培養し、培養物中に前記ポリペプチド、芳香族アミノ酸、芳香族ビタミン、L-ヒスチジン、リボフラビン、核酸、核酸関連物質を生成させることは、当業者が容易になし得ることである。

請求の範囲1、5に記載された発明は、国際調査報告に記載された上記文献の何れにも開示されておらず、新規性及び進歩性を有する。文献1、2には、配列番号1記載のアミノ酸配列からなるポリペプチド、配列番号2記載の塩基配列を有するDNAは記載されておらず、当業者といえども容易に想到し得ないものである。

THIS PAGE BLANK (USPTO)

(12)特許協力条約に基づいて公開され



(43) 国際公開日 2001 年3 月29 日 (29.03.2001)

(19) 世界知的所有権機関

国際事務局

PCT

(10) 国際公開番号 WO 01/21774 A1

(51) 国際特許分類7: C12N 9/10, 15/54, 1/21, C12P 19/18

(21) 国際出願番号:

PCT/JP00/06471

(22) 国際出願日:

2000年9月21日(21.09.2000)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ: 特願平11/266548 1999年9月21日(21.09.1999) JP

(71) 出願人 /米国を除く全ての指定国について/: 協和醱酵工業株式会社 (KYOWA HAKKO KOGYO CO., LTD.) [JP/JP]; 〒100-8185 東京都千代田区大手町一丁目6番 I号 Tokyo (JP).

(72) 発明者; および

(75) 発明者/出願人/米国についてのみ): 池田正人/IKEDA, Masato) [JP/JP]. 高野 裕(TAKANO, Yutaka) [JP/JP]. 鎌田 望(WAMADA, Nozomu) [VP/JP]; 〒194-8533 東京都町田市旭町3丁目6番6号 協和醱酵工業株式会社東京研究所内 Tokyo (JP). 中野哲郎(NAKANO, Tetsuo) [JP/JP]; 〒755-8501 山口県宇部市大字藤曲2548番地協和醱酵工業株式会社 宇部工場内 Yamaguchi (JP).

- (81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) 指定国 (広域): ARIPO 特許 (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

添付公開書類:

- 国際調査報告書
- 明細書とは別に規則13の2に基づいて提出された 生物材料の寄託に関する表示。


2文字コード及び他の略語については、定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。

(54) Title: NOVEL TRANSALDOLASE GENE

(54) 発明の名称: 新規トランスアルドラーゼ遺伝子

(57) Abstract: Attempts are made to provide a novel transaldolase gene; a polypeptide encoded by this gene; a recombinant DNA obtained by integrating this gene; a microorganism carrying this recombinant DNA; and a process for producing an aromatic amino acid, an aromatic vitamin, L-histidine, riboflavin, a nucleic acid, a nucleic acid-associated substance, a novel saccharide, etc. by using the above microorganism. As the results of extensive studies, a novel transaldolase gene is isolated from chromosomal DNA of a microorganism belonging to the genus Corynebacterium as a DNA fragment complementary to the requirement for shikimic acid of a transketolase defective variant obtained as a variant with the requirement for shikimic acid belonging to the genus Corynebacterium. Further, a recombinant DNA containing this gene is constructed and transferred into a host microorganism, thereby achieving the objects as described above.







(57) 要約:

本発明の目的は、新規なトランスアルドラーゼ遺伝子、および該遺伝子にコードされるポリペプチド、該遺伝子を組み込んで得られる組換え体DNA、該組換え体DNAを保有する微生物、および該微生物を利用した芳香族アミノ酸、芳香族ピタミン、Lーヒスチジン、リボフラビン、核酸、核酸関連物質、新規な糖等の製造法を提供することにある。

本発明者らは、上記目的を達成するために鋭意検討した。その結果、コリネバクテリウム属に属し、シキミ酸要求性変異株として取得されるトランスケトラーゼ欠損変異株のシキミ酸要求性を相補するDNA断片として、コリネバクテリウム属に属する微生物の染色体DNAより新規トランスアルドラーゼ遺伝子を単離した。さらに、該遺伝子を含む組換え体DNAを構築し、該組換え体DNAを宿主微生物に導入することで、該目的を達成することができることを見出し、本発明を完成するに至った。

明細書

新規トランスアルドラーゼ遺伝子

技術分野

本発明は、新規に見出されたトランスアルドラーゼ遺伝子、および該遺伝子にコードされるポリペプチド、該遺伝子を組み込んで得られる組換え体DNA、該組換え体DNAを保有する形質転換体、および該形質転換体を利用した、該ポリペプチド、芳香族アミノ酸、芳香族ピタミン、L-ヒスチジン、リボフラビン、核酸、核酸関連物質、あるいは新規な糖等の製造法に関する。

背景技術

トランスアルドラーゼはベントースリン酸経路の酵素であり、芳香族アミノ酸や芳香族ビタミン等の芳香族化合物、プリンヌクレオチドやピリミジンヌクレオチド等の核酸関連物質、Lーヒスチジン、リボフラビン等の生合成や代謝に重要な役割を担っている[Arch. Microbiol., 164, 324(1995)]。従って、それら代謝産物の効率的な発酵生産菌を育種するための標的として、トランスアルドラーゼ遺伝子およびその遺伝子産物は有用である。

トランスアルドラーゼをコードする DNAについては、エシエリヒア・コリ由来の遺伝子[GeneBank Accession Number D13159]、マイコバクテリウム・ツベルクロシス由来の遺伝子[Nature, 393, 537 (1998)]、シネココッカス由来の遺伝子[Plant Mol. Biol., 30, 213 (1996)]等が単離され、その塩基配列が決定されている。

また、エシェリヒア・コリでは、トランスアルドラーゼ活性を増加させると芳香 族化合物等の生産性が向上することが報告されている(W098/18936)。

しかしながら、アミノ酸発酵等で広く用いられている産業上重要なコリネバクテリウム属に属する微生物については、これまでにトランスアルドラーゼ遺伝子や該遺伝子にコードされる酵素に関する報告はなく、従ってその塩基配列についても全く知られていなかった。

トランスアルドラーゼを用いた糖の合成については、澱粉を処理したものからD ーフルクトースを生成するために使用された例[J. Am. Chem. Soc., 114, 6980

(1992)]が報告されている。

発明の開示

本発明の課題は、新規に見出されたトランスアルドラーゼ遺伝子、および該遺伝子にコードされるポリペプチド、該遺伝子を組み込んで得られる組換え体DNA、該組換え体DNAを保有する形質転換体、および該形質転換体を利用した、該ポリペプチド、芳香族アミノ酸、芳香族ピタミン、Lーヒスチジン、リボフラピン、核酸および核酸関連物質、新規な糖等の製造法を提供することにある。

本発明者らは、上記課題を解決すべく、組換えDNA手法を駆使してコリネバクテリウム属に属する微生物の染色体由来の遺伝子に関して鋭意検討した。その結果、ベントースリン酸経路上でトランスアルドラーゼとは別の酵素であるトランスケトラーゼをコードする遺伝子の3′側下流にトランスアルドラーゼ遺伝子が隣接して存在することを初めて見出し、本発明を完成するに至った。すなわち、本発明は下記(1)~(16)に関する。

- (1) 配列番号1記載のアミノ酸配列からなるポリペプチド。
- (2) 配列番号1記載のポリペプチドにおいて、1以上のアミノ酸が欠失、置換若しくは付加されたアミノ酸配列からなり、かつトランスアルドラーゼ活性を有するポリペプチド。
- (3) 配列番号1記載のアミノ酸配列と60%以上の相同性を有するアミノ酸配列を含み、かつトランスアルドラーゼ活性を有する蛋白質。
 - (4) 上記(1) \sim (3)いずれか1つのポリペプチドをコードするDNA。
 - (5) 配列番号2記載の塩基配列を有するDNA。
- (6) 上記(4)または(5)のDNAとストリンジェントな条件下でハイブリダイズするDNAであり、かつトランスアルドラーゼ活性を有するポリペプチドをコードするDNA。
- (7) 上記(4) \sim (6)いずれか一つのDNAをベクターに組み込んで得られる組換え体DNA。
 - (8) 上記(7)の組換え体DNAを保有する形質転換体。

- (9) 上記(8)の形質転換体が保有する上記(4)~(6)いずれか1つの DNA、または該DNAの上流に存在する転写・翻訳に関わるDNAの塩基配列中に1以上の塩基が置換、欠失若しくは挿入され、かつ該置換、欠失若しくは挿入前に比べてトランスアルドラーゼの活性が増強された形質転換体。
- (10) 形質転換体が、芳香族アミノ酸または芳香族ビタミンを生産する能力を有する形質転換体である、上記(8)または(9)の形質転換体。
- (11) 上記(10)の形質転換体を培地に培養し、培養物中に芳香族アミノ酸または芳香族ビタミンを生成蓄積させ、該培養物より該物質を採取することを特徴とする、該物質の製造法。
- (12) 上記(8)の形質転換体が保有する上記(4)~(6)いずれか1つのDNA、または該DNAの上流に存在する転写・翻訳に関わるDNAの塩基配列中に1以上の塩基が置換、欠失若しくは挿入され、かつ該置換、欠失若しくは挿入前に比べてトランスアルドラーゼの活性が低下または欠損した形質転換体。
- (13) 形質転換体が、L-ヒスチジン、リボフラビン、核酸および核酸関連物質から選ばれる物質を生産する能力を有する形質転換体である、上記(8)または(12)の形質転換体。
- (14) 上記(13)の形質転換体を培地に培養し、培養物中にLーヒスチジン、リボフラビン、核酸および核酸関連物質から選ばれる物質を生成蓄積させ、該培養物より該物質を採取することを特徴とする、該物質の製造法。
- (15) 上記(8)の形質転換体を培地に培養し、培養物中に上記(1)~(3)いずれか1つのポリペプチドを生成蓄積させ、該培養物より該ポリペプチドを採取することを特徴とする、上記(1)~(3)いずれか1つのポリペプチドの製造法。
- (16) 上記(8)または(9)の形質転換体、該形質転換体の培養物または該培養物の処理物を酵素源として用い、ケトースおよびアルドースを水性媒体中に存在せしめ、該水性媒体中に該アルドースに該ケトースのジヒドロキシアセトン部分の転移された糖を生成蓄積させ、該水性媒体から該糖を採取することを特徴とする、該糖の製造法。

以下、本発明を詳細に説明する。

(1) 本発明のポリペプチド

本発明のポリペプチドは、配列番号1記載のアミノ酸配列からなるポリペプチドである。また、配列番号1記載のアミノ酸配列において1以上のアミノ酸が欠失、置換若しくは付加されたアミノ酸配列からなり、かつトランスアルドラーゼ活性を有するポリペプチドも本発明のポリペプチドに包含される。

該欠失、置換若しくは付加されたアミノ酸配列からなり、かつトランスアルドラーゼ活性を有するポリペプチドは、Molecular Cloning, A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press (1989) (以下、モレキュラー・クローニング 第2版と略す)、Current Protocols in Molecular Biology, John Wiley & Sons (1987-1997) (以下、カレント・プロトコールズ・イン・モレキュラー・バイオロジーと略す)、Nucleic Acids Research, 10, 6487 (1982)、Proc. Natl. Acad. Sci. USA, 79, 6409 (1982)、Gene, 34, 315 (1985)、Nucleic Acids Research, 13, 4431 (1985)、Proc. Natl. Acad. Sci. USA, 82, 488 (1985)等に記載の部位特異的変異導入法を用いて、例えば配列番号1で示されるアミノ酸配列を有するポリペプチドをコードするDNAに部位特異的変異を導入することにより、取得することができる。

欠失、置換若しくは付加されるアミノ酸の数は特に限定されないが、1個から数十個、特に1個から数個のアミノ酸であることが好ましい。また、本発明のポリペプチドがトランスアルドラーゼ活性を有するためには、配列番号1記載のアミノ酸配列と少なくとも60%以上、通常は80%以上、特に95%以上の相同性を有していることが好ましい。

ただし、本発明のポリペプチドには、公知のトランスアルドラーゼ活性を有する ポリペプチドは含まれない。

(2)本発明のDNA

本発明のDNAは、本発明のポリペプチドをコードするDNAである。本発明の DNAとしては、例えば、配列番号2記載のDNAをあげることができる。 また、配列番号 2 記載のDNAとストリンジェントな条件下でハイブリダイズするDNAも本発明のDNAに包含される。該ストリンジェントな条件下でハイブリダイズするDNAとは、配列表の配列番号 2 に示される塩基配列を有するDNAまたは該DNAの内部断片をプローブとして、コロニー・ハイブリダイゼーション法、ブラーク・ハイブリダイゼーション法あるいはサザンハイブリダイゼーション法等を用いることにより得られるDNAを意味し、具体的には、コロニーあるいはプラーク由来のDNAまたは該DNAの断片を固定化したフィルターを用いて、0.7~1.0mol/lのNaCl存在下、65℃でハイブリダイゼーションを行った後、0.1~2倍程度のSSC溶液(1倍濃度のSSC溶液の組成は、150mmol/l塩化ナトリウム、15mmol/lクエン酸ナトリウムよりなる)を用い、65℃条件下でフィルターを洗浄することにより同定できるDNAをあげることができる。

ハイブリダイゼーションは、モレキュラー・クローニング 第2版等の実験書に記載されている方法に準じて行うことができる。ハイブリダイズ可能なDNAとして具体的には、配列番号2に示される塩基配列と少なくとも80%以上の相同性を有するDNAをあげることができる。

ただし、本発明のDNAには公知の、トランスアルドラーゼ活性を有するポリペ プチドをコードするDNAは含まれない。

本発明のDNAは、コリネバクテリウム属に属する微生物の染色体DNAから、 後述する方法により単離することができる。遺伝子の供与体となるコリネバクテリ ウム属に属する微生物としてはコリネバクテリウム属またはブレビバクテリウム 属に属する菌株であればいずれも使用できる。そのような微生物の具体例としては、 例えば下記の菌株をあげることができる。

コリネバクテリウム・グルタミクム	ATCC	31833
コリネバクテリウム・グルタミクム	ATCC	13032
コリネバクテリウム・アセトアシドフィラム	ATCC	13870
コリネバクテリウム・カルナエ	ATCC	15991
コリネバクテリウム・ハーキュリス	ATCC	13868

コリネバクテリウム・メラセコーラ	ATCC	17965
コリネバクテリウム・リリウム	ATCC	15990
コリネバクテリウム・アンモニアゲネス	ATCC	6872
ブレビバクテリウム・イマリオフィラム	ATCC	14068
ブレビバクテリウム・サッカロリティカム	ATCC	14066
ブレビバクテリウム・チオゲニタリス	ATCC	19240
ブレビバクテリウム・ディバリカツム	ATCC	14020
ブレビバクテリウム・フラブム	ATCC	14067
ブレビバクテリウム・ラクトファーメンタム	ATCC	13869

コリネバクテリウム属に属する微生物からの染色体DNAの抽出は、培養菌体から、常法 [例えば特開昭58-126789に記載の方法] に従って容易に行うことができる。染色体DNAからの本発明のDNAの単離は、シキミ酸要求性変異株として取得されるトランスケトラーゼ欠損変異株[Appl. Microbiol. Biotechnol., <u>50</u>, 375 (1998)]の相補で選択することにより実施できる。

すなわち、染色体DNAを適当な制限酵素で切断し、ベクタープラスミドに連結後、該プラスミドを用いてトランスケトラーゼ遺伝子欠損株 [例えば、コリネバクテリウム・グルタミクムTKT6株(FERM BP-6399)]を形質転換し、シキミ酸要求性が回復した形質転換株を選択する。該形質転換株が有するプラスミドを単離することによって、トランスケトラーゼ遺伝子と共に本発明のDNAを取得することができる。

このようにして、配列番号2で示される本発明のDNAが一旦取得され、その塩基配列が決定された後は、該塩基配列の5′端および3′端の塩基配列に基づいたプライマーを調製し、コリネバクテリウム属に属する微生物から調製した染色体DNAを鋳型として、PCR法 [PCR Protocols, Academic Press (1990)]を用いてDNAの増幅を行うことにより、他のコリネバクテリウム属に属する微生物から本発明のDNAを容易に取得することができる。

また、配列番号2で示されるDNAの全長または一部をプローブとして、コリネバクテリウム属に属する微生物から調製した染色体DNAに対してコロニーハイ

ブリダイゼーションやプラークハイブリダイゼーション (モレキュラー・クローニング 第2版)を行うことにより、他のコリネバクテリウム属に属する微生物から本発明のDNAを取得することができる。

さらに、配列番号2で示される塩基配列に基づいて、フォスフォアミダイド法を 利用したパーキン・エルマー社のDNA合成装置で化学合成することによっても、 本発明のDNAを取得することができる。

(3) 本発明のポリペプチドの製造

本発明のポリペプチドは、モレキュラー・クローニング 第2版やカレント・プロトコールズ・イン・モレキュラー・バイオロジー等に記載された方法等を用い、例えば以下の方法により、本発明のDNAを宿主細胞中で発現させて、製造することができる。

該ポリペプチドをコードする部分を含む適当な長さのDNA断片を調製する。 また、必要に応じて、本発明のポリペプチドをコードする部分の塩基配列を、宿主 細胞の発現に最適なコドンとなるように塩基を置換したDNAを調製する。該DN Aは本発明のポリペプチドの効率的製造に有用である。

該DNA断片を適当な発現ベクターのプロモーターの下流に挿入することにより、組換えベクターを作製する。

該組換えベクターを、該発現ベクターに適合した宿主細胞に導入する。

宿主細胞としては、細菌、酵母、動物細胞、昆虫細胞、植物細胞等、目的とする 遺伝子を発現できるものであればいずれも用いることができる。

発現ベクターとしては、上記宿主細胞において自立複製可能ないしは染色体中への組込が可能で、本発明のポリペプチドをコードするDNAを転写できる位置にプロモーターを含有しているものが用いられる。

細菌等の原核生物を宿主細胞として用いる場合は、本発明のポリペプチドをコードするDNAを含有してなる組換えベクターは原核生物中で自立複製可能であると同時に、プロモーター、リボソーム結合配列、本発明のDNA、転写終結配列、より構成されたベクターであることが好ましい。プロモーターを制御する遺伝子が含まれていてもよい。

発現ベクターとしては、例えば、pBTrp2、pBTac1、pBTac2(いずれもベーリンガーマンハイム社より市販)、pKK233-2(Pharmacia社製)、pSE280(Invitrogen社製)、pGEMEX-1(Promega社製)、pQE-8(QIAGEN社製)、pKYP10(特開昭58-110600)、pKYP200(Agric. Biol. Chem., 48, 669 (1984))、pLSA1(Agric. Biol. Chem., 53, 277 (1989))、pGEL1(Proc. Natl. Acad. Sci. USA, 82, 4306 (1985))、pBluescript II SK(-)(Stratagene社製)、pTrs30(Escherichia coli JM109/pTrS30(FERM BP-5407)より調製)、pTrs32(Escherichia coli JM109/pTrS32(FERM BP-5408)より調製)、pGHA2(Escherichia coli IGHA2(FERM B-400)より調製、特開昭 60-221091)、pGKA2(Escherichia coli IGKA2(FERM BP-6798)より調製、特開昭 60-221091)、pTerm2(US4686191、US4939094、US5160735)、pSupex、pUB110、pTP5、pC194、pEG400(J. Bacteriol.,172, 2392(1990))、pGEX(Pharmacia社製)、pETシステム(Novagen社製)等をあげることができる。

プロモーターとしては、宿主細胞中で機能するものであればいかなるものでもよい。例えば、trpプロモーター (P_{trp})、lacプロモーター、 P_L プロモーター、 P_R プロモーター、T7プロモーター等の、大腸菌やファージ等に由来するプロモーターをあげることができる。また p_{trp} を2つ直列させたプロモーター ($P_{trp} \times 2$)、tacプロモーター、lacTプロモーター、let Iプロモーターのように人為的に設計改変されたプロモーター等も用いることができる。

リボソーム結合配列であるシャインーダルガノ (Shine-Dalgarno) 配列と開始コドンとの間を適当な距離 (例えば $6 \sim 18$ 塩基) に調節したプラスミドを用いることが好ましい。

本発明の組換えベクターにおいては、本発明のDNAの発現には転写終結配列は 必ずしも必要ではないが、構造遺伝子の直下に転写終結配列を配置することが好ま しい。

宿主細胞としては、エシェリヒア属、セラチア属、バチルス属、ブレビバクテリウム属、コリネバクテリウム属、ミクロバクテリウム属、シュードモナス属等に属する微生物、例えば、Escherichia coli XL1-Blue、Escherichia coli XL2-Blue、Escherichia coli KY3276、

Escherichia coli W1485、Escherichia coli JM109、Escherichia coli HB101、Escherichia coli No.49、Escherichia coli W3110、Escherichia coli NY49、Escherichia coli GI698、Escherichia coli TB1、Serratia ficaria、Serratia fonticola、Serratia liquefaciens、Serratia marcescens、Bacillus subtilis、Bacillus amyloliquefacines、Brevibacterium ammoniagenes、Brevibacterium immariophilum ATCC14068、Brevibacterium saccharolyticum ATCC14066、Brevibacterium flavum ATCC14067、Brevibacterium lactofermentum ATCC13869、Corynebacterium glutamicum ATCC13032、Corynebacterium glutamicum ATCC13869、Corynebacterium acetoacidophilum ATCC13870、Microbacterium ammoniaphilum ATCC15354、Pseudomonas putida、Pseudomonas sp. D-0110等をあげることができる。

組換えベクターの導入方法としては、上記宿主細胞へDNAを導入する方法であればいずれも用いることができ、例えば、カルシウムイオンを用いる方法 [Proc. Natl. Acad. Sci. USA, 69, 2110 (1972)]、プロトプラスト法 (特開昭63-2483942)、またはGene, 17, 107 (1982)やMolecular & General Genetics, 168, 111 (1979)に記載の方法等をあげることができる。

酵母を宿主細胞として用いる場合には、組換えベクターとして、例えば、 YEP13(ATCC37115)、YEp24(ATCC37051)、YCp50(ATCC37419)、pHS19、pHS15等をあげ ることができる。

プロモーターとしては、酵母菌株中で発現できるものであればいずれのものを用いてもよく、例えば、ヘキソースキナーゼ等の解糖系の遺伝子のプロモーター、PHO5プロモーター、PGKプロモーター、GAPプロモーター、ADHプロモーター、gal 1プロモーター、gal 10プロモーター、ヒートショックポリペプチドプロモーター、MFα1プロモーター、CUP 1プロモーター等をあげることができる。

宿主細胞としては、サッカロマイセス (<u>Saccharomyces</u>) 属、シゾサッカロマイセス (<u>Schizosaccharomyces</u>) 属、クリベロマイセス (<u>Kluyveromyces</u>) 属、トリコスポロン (<u>Trichosporon</u>) 属、シワニオマイセス (<u>Schwanniomyces</u>) 属、ピヒア (<u>Pichia</u>) 属、キャンディダ (<u>Candida</u>) 属等に属する微生物、例えば、<u>Saccharomyces</u>

<u>cerevisiae</u>、<u>Schizosaccharomyces pombe</u>、<u>Kluyveromyces lactis</u>、<u>Trichosporon</u> pullulans、<u>Schwanniomyces alluvius</u>、<u>Candida utilis</u>等をあげることができる。

組換えベクターの導入方法としては、酵母にDNAを導入する方法であればいずれも用いることができ、例えば、エレクトロポレーション法[Methods Enzymol., 194, 182 (1990)]、スフェロプラスト法[Proc. Natl. Acad. Sci. USA, 75, 1929 (1978)]、酢酸リチウム法[J. Bacteriology, 153, 163 (1983)]、Proc. Natl. Acad. Sci. USA, 75, 1929 (1978)記載の方法等をあげることができる。

動物細胞を宿主として用いる場合には、発現ベクターとして、例えば、pcDNAI、pcDM8 (フナコシ社製)、pAGE107 (特開平3-22979、Cytotechnology, 3, 133 (1990)〕、pAS3-3 (特開平2-227075)、pCDM8 (Nature, 329, 840 (1987)〕、pcDNAI/Amp (Invitrogen社製)、pREP4 (Invitrogen社製)、pAGE103 (J. Biochem., 101, 1307 (1987))、pAGE210等をあげることができる。

プロモーターとしては、動物細胞中で機能するものであればいずれも用いることができ、例えば、サイトメガロウイルス (CMV) のIE (immediate early) 遺伝子のプロモーター、SV40の初期プロモーター、レトロウイルスのプロモーター、メタロチオネインプロモーター、ヒートショックプロモーター、SR α プロモーター等をあげることができる。また、ヒト CM Vの I E 遺伝子のエンハンサーをプロモーターと共に用いてもよい。

宿主細胞としては、ヒトの細胞であるナマルバ (Namalwa) 細胞、サルの細胞であるCOS細胞、チャイニーズ・ハムスターの細胞であるCHO細胞、HBT5637 (特開昭 63-299) 等をあげることができる。

動物細胞への組換えベクターの導入方法としては、動物細胞にDNAを導入する方法であればいずれも用いることができ、例えば、エレクトロポレーション法 [Cytotechnology, $\underline{3}$, 133 (1990)]、リン酸カルシウム法 (特開平2-227075)、リポフェクション法 [Proc. Natl. Acad. Sci. USA, $\underline{84}$, 7413 (1987)]、Virology, 52, 456 (1973)等をあげることができる。

昆虫細胞を宿主として用いる場合には、例えばカレント・プロトコールズ・イン・ モレキュラー・バイオロジー、Baculovirus Expression Vectors, A Laboratory Manual, W. H. Freeman and Company, New York (1992)、Bio/Technology, <u>6</u>, <u>47</u> (1988)等に記載された方法によって、ポリペプチドを発現することができる。

即ち、組換え遺伝子導入ベクターおよびバキュロウイルスを昆虫細胞に共導入して昆虫細胞培養上清中に組換えウイルスを得た後、さらに組換えウイルスを昆虫細胞に感染させ、ポリベプチドを発現させることができる。

該方法において用いられる遺伝子導入ベクターとしては、例えば、pVL1392、pVL1393、pBlueBacIII (ともにInvitorogen社製) 等をあげることができる。

バキュロウイルスとしては、例えば、夜盗蛾科昆虫に感染するウイルスであるアウトグラファ・カリフォルニカ・ヌクレアー・ポリヘドロシス・ウイルス(Autographa californica nuclear polyhedrosis virus)等を用いることができる。

昆虫細胞としては、<u>Spodoptera frugiperda</u>の卵巣細胞であるSf9、Sf21
[Baculovirus Expression Vectors, A Laboratory Manual, W. H. Freeman and Company, New York (1992)]、<u>Trichoplusia ni</u>の卵巣細胞であるHigh 5 (Invitrogen 社製)等を用いることができる。

組換えウイルスを調製するための、昆虫細胞への上記組換え遺伝子導入ベクターと上記バキュロウイルスの共導入方法としては、例えば、リン酸カルシウム法 (特開平2-227075)、リポフェクション法 (Proc. Natl. Acad. Sci. USA, <u>84</u>, 7413 (1987)) 等をあげることができる。

植物細胞を宿主細胞として用いる場合には、発現ベクターとして、例えば、Ti プラスミド、タバコモザイクウイルスベクター等をあげることができる。

プロモーターとしては、植物細胞中で発現できるものであればいずれのものを用いてもよく、例えば、カリフラワーモザイクウイルス (CaMV) の35Sプロモーター、イネアクチン1プロモーター等をあげることができる。

宿主細胞としては、タバコ、ジャガイモ、トマト、ニンジン、ダイズ、アブラナ、 アルファルファ、イネ、コムギ、オオムギ等の植物細胞等をあげることができる。

組換えベクターの導入方法としては、植物細胞にDNAを導入する方法であればいずれも用いることができ、例えば、アグロバクテリウム(<u>Agrobacterium</u>) (特 開昭59-140885、特開昭60-70080、W094/00977)、エレクトロポレーション法(特

開昭60-251887)、パーティクルガン(遺伝子銃)を用いる方法(特許第2606856、 特許第2517813)等をあげることができる。

遺伝子の発現方法としては、直接発現以外に、モレキュラー・クローニング第2版に記載されている方法等に準じて、分泌生産、融合タンパク質発現等を行うことができる。

酵母、動物細胞、昆虫細胞または植物細胞により発現させた場合には、糖あるい は糖鎖が付加されたポリペプチドを得ることができる。

以上のようにして得られる本発明の形質転換体を培地に培養し、培養物中に本発明のポリペプチドを生成蓄積させ、該培養物から採取することにより、本発明のポリペプチドを製造することができる。

本発明の形質転換体を培地に培養する方法は、宿主の培養に用いられる通常の方法に従って行うことができる。

本発明の形質転換体が大腸菌等の原核生物あるいは酵母等の真核生物を宿主として得られた形質転換体である場合、該形質転換体を培養する培地として、該形質転換体が資化し得る炭素源、窒素源、無機塩類等を含有し、該形質転換体の培養を効率的に行える培地であれば天然培地、合成培地のいずれを用いてもよい。

炭素源としては、該形質転換体が資化し得るものであればよく、グルコース、フラクトース、スクロース、これらを含有する糖蜜、デンプンあるいはデンプン加水 分解物等の炭水化物、酢酸、プロピオン酸等の有機酸、エタノール、プロパノールなどのアルコール類等を用いることができる。

窒素源としては、アンモニア、塩化アンモニウム、硫酸アンモニウム、酢酸アンモニウム、リン酸アンモニウム等の無機酸もしくは有機酸のアンモニウム塩、その他の含窒素化合物、ならびに、ペプトン、肉エキス、酵母エキス、コーンスチープリカー、カゼイン加水分解物、大豆粕および大豆粕加水分解物、各種発酵菌体およびその消化物等を用いることができる。

無機塩としては、リン酸第一カリウム、リン酸第二カリウム、リン酸マグネシウム、硫酸マグネシウム、塩化ナトリウム、硫酸第一鉄、硫酸マンガン、硫酸銅、炭酸カルシウム等を用いることができる。

培養は、振盪培養または深部通気攪拌培養などの好気的条件下で行う。培養温度は $15\sim40$ °Cがよく、培養時間は、通常16時間 ~7 日間である。培養中のpHは $3.0\sim9.0$ に保持することが好ましい。pHの調整は、無機または有機の酸、アルカリ溶液、尿素、炭酸カルシウム、アンモニアなどを用いて行う。

また、培養中必要に応じて、アンピシリンやテトラサイクリン等の抗生物質を培 地に添加してもよい。

プロモーターとして誘導性のプロモーターを用いた組換えベクターで形質転換した微生物を培養するときには、必要に応じてインデューサーを培地に添加してもよい。例えば、lacプロモーターを用いた組換えベクターで形質転換した微生物を培養するときにはイソプロピルーβーDーチオガラクトピラノシド等を、trpプロモーターを用いた組換えベクターで形質転換した微生物を培養するときにはインドールアクリル酸等を培地に添加してもよい。

動物細胞を宿主として得られた形質転換体を培養する培地としては、一般に使用されているRPMI1640培地 (The Journal of the American Medical Association, 199, 519 (1967))、EagleのMEM培地 (Science, 122, 501 (1952))、ダルベッコ改変MEM培地 (Virology, 8, 396 (1959))、199培地 (Proceeding of the Society for the Biological Medicine, 73, 1 (1950)) またはこれら培地に牛胎児血清等を添加した培地等を用いることができる。

培養は、通常pH6~8、30~40℃、5%CO₂存在下等の条件下で1~7日間行う。

また、培養中必要に応じて、カナマイシン、ペニシリン等の抗生物質を培地に添加してもよい。

昆虫細胞を宿主として得られた形質転換体を培養する培地としては、一般に使用されているTNM-FH培地 (PharMingen社製)、Sf-900 II SFM培地 (Life Technologies社製)、ExCell400、ExCell405 (いずれもJRH Biosciences社製)、Grace's Insect Medium (Nature, 195, 788 (1962)) 等を用いることができる。

培養は、通常pH6~7、25~30℃等の条件下で、1~5日間行う。

また、培養中必要に応じて、ゲンタマイシン等の抗生物質を培地に添加してもよ

い。

植物細胞を宿主として得られた形質転換体は、細胞として、または植物の細胞や器官に分化させて培養することができる。該形質転換体を培養する培地としては、一般に使用されているムラシゲ・アンド・スクーグ(MS)培地、ホワイト(White)培地、またはこれら培地にオーキシン、サイトカイニン等、植物ホルモンを添加した培地等を用いることができる。

培養は、通常pH5~9、20~40℃の条件下で3~60日間行う。

また、培養中必要に応じて、カナマイシン、ハイグロマイシン等の抗生物質を培 地に添加してもよい。

上記のとおり、本発明のポリペプチドをコードするDNAを組み込んだ組換え体ベクターを保有する微生物、動物細胞、あるいは植物細胞由来の形質転換体を、通常の培養方法に従って培養し、該ポリペプチドを生成蓄積させ、該培養物より該ポリペプチドを採取することにより、該ポリペプチドを製造することができる。

遺伝子の発現方法としては、直接発現以外に、モレキュラー・クローニング第2版に記載されている方法等に準じて、分泌生産、融合ポリペプチド発現等を行うことができる。

本発明のポリペプチドの生産方法としては、宿主細胞内に生産させる方法、宿主 細胞外に分泌させる方法、あるいは宿主細胞外膜上に生産させる方法があり、使用 する宿主細胞や、生産させるポリペプチドの構造を変えることにより、該方法を選 択することができる。

本発明のポリペプチドが宿主細胞内あるいは宿主細胞外膜上に生産される場合、ポールソンらの方法 [J. Biol. Chem., <u>264</u>, 17619 (1989)]、ロウらの方法 [Proc. Natl. Acad. Sci. USA, <u>86</u>, 8227 (1989)、Genes Develop., <u>4</u>, 1288 (1990)〕、または特開平5-336963、WO94/23021等に記載の方法を準用することにより、該ポリペプチドを宿主細胞外に積極的に分泌させることができる。

すなわち、遺伝子組換えの手法を用いて、本発明のポリペプチドの活性部位を含むポリペプチドの手前にシグナルペプチドを付加した形で発現させることにより、 本発明のポリペプチドを宿主細胞外に積極的に分泌させることができる。 また、特開平2-227075に記載されている方法に準じて、ジヒドロ葉酸還元酵素遺伝子等を用いた遺伝子増幅系を利用して生産量を上昇させることもできる。

さらに、遺伝子導入した動物または植物の細胞を再分化させることにより、遺伝子が導入された動物個体(トランスジェニック非ヒト動物)または植物個体(トランスジェニック植物)を造成し、これらの個体を用いて本発明のポリペプチドを製造することもできる。

形質転換体が動物個体または植物個体の場合は、通常の方法に従って、飼育または栽培し、該ポリペプチドを生成蓄積させ、該動物個体または植物個体より該ポリペプチドを採取することにより、該ポリペプチドを製造することができる。

動物個体を用いて本発明のポリペプチドを製造する方法としては、例えば公知の方法[American Journal of Clinical Nutrition, <u>63</u>, 6398 (1996)、American Journal of Clinical Nutrition, <u>63</u>, 6278 (1996)、Bio/Technology, <u>9</u>, 830 (1991)〕に準じて遺伝子を導入して造成した動物中に本発明のポリペプチドを生産する方法があげられる。

動物個体の場合は、例えば、本発明のポリペプチドをコードするDNAを導入したトランスジェニック非ヒト動物を飼育し、該ポリペプチドを該動物中に生成・蓄積させ、該動物中より該ポリペプチドを採取することにより、該ポリペプチドを製造することができる。該動物中の生成・蓄積場所としては、例えば、該動物のミルク (特開昭63-309192)、卵等をあげることができる。この際に用いられるプロモーターとしては、動物で発現できるものであればいずれも用いることができるが、例えば、乳腺細胞特異的なプロモーターである α カゼインプロモーター、 β カゼインプロモーター、 β ラクトグロブリンプロモーター、ホエー酸性プロテインプロモーター等が好適に用いられる。

植物個体を用いて本発明のポリペプチドを製造する方法としては、例えば本発明のポリペプチドをコードするDNAを導入したトランスジェニック植物を公知の方法 [組織培養, 20 (1994)、組織培養, 21 (1995)、Trends in Biotechnology, $\underline{15}$, 45 (1997)] に準じて栽培し、該ポリペプチドを該植物中に生成・蓄積させ、該植物中より該ポリペプチドを採取することにより、該ポリペプチドを生産する方法が

あげられる。

本発明の形質転換体により製造されたボリベブチドを単離精製するためには、通常の酵素の単離精製法を用いることができる。 例えば本発明のボリベブチドが、細胞内に溶解状態で発現した場合には、培養終了後、細胞を遠心分離により回収し、水系緩衝液にけん濁後、超音波破砕機、フレンチブレス、マントンガウリンホモゲナイザー、ダイノミル等により細胞を破砕し、無細胞抽出液を得る。該無細胞抽出液を遠心分離することにより得られる上清から、通常の酵素の単離精製法、即ち、溶媒抽出法、硫安等による塩析法、脱塩法、有機溶媒による沈殿法、ジエチルアミノエチル (DEAE) ーセファロース、DIAION HPA-75 (三菱化成社製)等のレジンを用いた陰イオン交換クロマトグラフィー法、S-Sepharose FF (Pharmacia社製)等のレジンを用いた陽イオン交換クロマトグラフィー法、ブチルセファロース、フェニルセファロース等のレジンを用いた疎水性クロマトグラフィー法、分子篩を用いたゲルろ過法、アフィニティークロマトグラフィー法、クロマトフォーカシング法、等電点電気泳動等の電気泳動法等の手法を単独あるいは組み合わせて用い、精製標品を得ることができる。

また、該ボリベプチドが細胞内に不溶体を形成して発現した場合は、同様に細胞を回収後、破砕し、遠心分離を行うことにより、沈殿画分としてポリベプチドの不溶体を回収する。回収したポリベプチドの不溶体を蛋白質変性剤で可溶化する。該可溶化液を希釈または透析し、該可溶化液中の蛋白質変性剤の濃度を下げることにより、該ポリベプチドを正常な立体構造に戻す。該操作の後、上記と同様の単離精製法により該ポリベプチドの精製標品を得ることができる。

本発明のポリペプチド、あるいは該ポリペプチドに糖鎖の付加されたポリペプチド等の誘導体が細胞外に分泌された場合には、培養上清に該ポリペプチドあるいは該ポリペプチドの誘導体を回収することができる。即ち、該培養物を上記と同様の遠心分離等の手法により処理することにより培養上清を取得し、該培養上清から、上記と同様の単離精製法を用いることにより、精製標品を得ることができる。

このようにして取得されるポリペプチドとして、例えば、配列番号 1 記載のアミノ酸配列を有するポリペプチドをあげることができる。

また、本発明のポリペプチドは、Fmoc法 (フルオレニルメチルオキシカルボニル法)、tBoc法 (tープチルオキシカルボニル法)等の化学合成法によっても製造することができる。また、Advanced ChemTech社、パーキン・エルマー社、Pharmacia社、Protein Technology Instrument社、Synthecell-Vega社、PerSeptive社、島津製作所等のペプチド合成機を利用して化学合成することもできる。

- (4) 本発明のDNAを利用した物質の製造法
- (a) 芳香族アミノ酸や芳香族ビタミン等の芳香族化合物、プリンヌクレオチド やピリミジンヌクレオチド等の核酸関連物質、L-ヒスチジン、あるいはリボフラ ビン等の製造

本発明のDNAやその塩基配列情報を用いることにより、芳香族アミノ酸や芳香族ビタミン等の芳香族化合物、プリンヌクレオチドやピリミジンヌクレオチド等の核酸関連物質、Lーヒスチジン、あるいはリボフラビン等の生産能を有する形質転換体のトランスアルドラーゼ活性を所望に改変することが可能となり、それによりそれら代謝産物の工業的に有利な製造法を提供することができる。

本発明により得ることのできる芳香族アミノ酸とはフェニルアラニン、チロシン、トリプトファンなどのアミノ酸をいい、芳香族ビタミンとは、葉酸(ビタミンM)、メナキノン(ビタミンK2)、p-ヒドロキシ安息香酸またはそれに由来するユビキノン、p-アミノ安息香酸(ビタミンH')、アンスラニル酸(ビタミンL)、トコフェロール(ビタミンE)などをいい、核酸関連物質とはプリンヌクレオチド、ピリミジンヌクレオチド、プリンヌクレオシド、ピリミジンヌクレオチド、プリンスクレオチド、ピリミジンスクレオチド、プリンな基、ピリミジン塩基、フラビンヌクレオチド等の物質をいう。

これらの物質の製造法を以下に述べる。

上記(3)で作製した形質転換体において、本発明のDNAまたは本発明のDNAの上流に存在し該DNAの転写・翻訳に関わるDNAの有する塩基配列中に1以上の塩基が欠失、置換若しくは付加されたDNAを保有する形質転換体(以下、形質転換体の変異体と略す)の中から、トランスアルドラーゼの活性が増強された形質転換体、またはトランスアルドラーゼ活性が低下または欠失した形質転換体を選択する。該欠失、置換若しくは付加は公知の方法(モレキュラークローニング 第

2版、カレント・プロトコールズ・イン・モレキュラー・バイオロジーなどに記載 の方法) に準じて行うことができる。

トランスアルドラーゼ活性の測定は、下記実施例(4)に従って行うことができる。

すなわち、形質転換体の変異体を上記(3)の方法に従い培養し、粗酵素液を調製する。トリス 40mmol/l (pH7.6)、ジホスホピリジン 0.1mmol/l、フルクトース 6—リン酸 2.8mmol/l、エリスロース 4—リン酸 0.2mmol/l、グリセロールー3ーリン酸ーデヒドロゲナーゼおよびトリオースフォスフェートーイソメラーゼ混合液 (ベーリンガー マンハイム社製)10μgを含む反応液に該粗酵素液を加えて1mlとし、25℃で反応させる。該反応により生成したグリセルアルデヒドー3ーリン酸を、分光光度計を用いて340nmにおける吸光度の減少を測定することにより活性を測定することができる。

該活性測定方法で、形質転換体の変異体のトランスアルドラーゼ活性を測定し、トランスアルドラーゼ活性が向上または低下あるいは欠失した形質転換体の変異体を選択することにより目的とする形質転換体を得ることができる。

芳香族アミノ酸または芳香族ビタミンの生産菌が宿主である場合は、トランスアルドラーゼ活性を増強することにより、それら芳香族化合物の生産効率を向上させることができる。

また、プリンヌクレオチドやピリミジンヌクレオチド等の核酸関連物質、L-ヒスチジン、あるいはリボフラビン等の生産菌が宿主である場合は、トランスアルドラーゼ活性を低下または欠失させることにより、それらの生産効率を向上させることができる。

このようにして得られた形質転換体を培地に培養し、培養物中に芳香族アミノ酸、 芳香族ビタミン、Lーヒスチジン、リボフラビン、プリンヌクレオチドやビリミジ ンヌクレオチド等の核酸関連物質などを生成蓄積させ、該培養物から濃縮晶析法、 活性炭処理法、あるいはイオン交換樹脂法等の公知の方法〔遠藤 勲ら、化学工学 会(編)「バイオセパレーションプロセス便覧」、共立出版(1996)〕を用いて、該 物質を単離・精製することにより、目的とする物質を効率よく生産することができ る。

該形質転換体の培養は、上記(3)記載の本発明のポリペプチドを製造するため の形質転換体の培養方法と同様な方法で行うことができる。

(b) 新規な糖の製造

上記方法により得られた形質転換体、該形質転換体の培養物または該培養物の処理物を酵素源として用い、ケトースおよびアルドースを水性媒体中に存在せしめ、該水性媒体中にトランスアルドラーゼ活性により該アルドースに該ケトースのジヒドロキシアセトン部分の転移された糖を生成蓄積させ、該水性媒体から該糖を採取することもできる。

該ケトースとしては例えば、セドヘプツロース 7-リン酸、フルクトース 6-リン酸等があげられ、該アルドースとしては例えば、エリスロース 4-リン酸、グリセルアルデヒド 3-リン酸などがあげられる。

形質転換体の培養物の処理物としては、培養菌体、該菌体の乾燥物、該菌体の凍結乾燥物、該菌体の界面活性剤処理物、該菌体の酵素処理物、該菌体の超音波処理物、該菌体の機械的摩砕物、該菌体の溶媒処理物等の菌体処理物、菌体の蛋白分画物、菌体および菌体処理物の固定化物等、該菌体より抽出して得られる酵素標品などをあげることができる。

本発明により得られる糖の生成において用いられる酵素源は、37℃で1分間に1ミリモルの本発明により得られる糖を生成することのできる活性を1単位(U)として、 $1mU/1\sim1,000U/1$ であり、好ましくは $10mU/1\sim100U/1$ の濃度で用いる。

本発明により得られる糖の生成において用いられる水性媒体としては、水、りん酸塩、炭酸塩、酢酸塩、ほう酸塩、クエン酸塩、トリスなどの緩衝液、メタノール、エタノールなどのアルコール類、酢酸エチルなどのエステル類、アセトンなどのケトン類、アセトアミドなどのアミド類などをあげることができる。また、酵素源として用いた形質転換体の培養液を水性媒体として用いることができる。

本発明により得られる糖の生成において、必要に応じて界面活性剤あるいは有機 溶媒を添加してもよい。界面活性剤としては、ポリオキシエチレン・オクタデシル アミン (例えばナイミーンS-215、日本油脂社製) などの非イオン界面活性剤、セ チルトリメチルアンモニウム・ブロマイドやアルキルジメチル・ベンジルアンモニウムクロライド (例えばカチオンF2-40E、日本油脂社製) などのカチオン系界面活性剤、ラウロイル・ザルコシネートなどのアニオン系界面活性剤、アルキルジメチルアミン (例えば三級アミンFB、日本油脂社製) などの三級アミン類など、ガラクトース含有糖質の生成を促進するものであればいずれでもよく、1種または数種を混合して使用することもできる。界面活性剤は、通常0.1~50g/lの濃度で用いられる。有機溶剤としては、キシレン、トルエン、脂肪族アルコール、アセトン、酢酸エチルなどが挙げられ、通常0.1~50ml/lの濃度で用いられる。

水性媒体中に生成した本発明により得られる糖の定量はDionex社製の糖分析装置などを用いて行うことができる[Anal. Biochem., <u>189</u>, 151 (1990)]。

反応液中に生成した本発明により得られる糖の採取は、活性炭やイオン交換樹脂などを用いる通常の方法によって行うことができる。

該方法を用いることにより、従来は合成することが困難であった糖の合成が容易 に出来るようになり、また、新規な糖を合成することも可能となる。

以下に本発明の実施例を示すが、本発明はこれら実施例に限定されるものではない。

発明を実施するための最良の形態

(1) コリネバクテリウム グルタミクムのトランスケトラーゼ欠損変異株の取得

コリネバクテリウム グルタミクムL22[野生型株ATCC31833から誘導された リゾチーム感受性変異株; R. Katsumata et al., Proc. 4th Eur. Congr. Biotechnol., 4,767 (1987)]をNB培地[粉末ブイヨン20g、酵母エキス5gを水1Lに含み、pH7.2 に調整した培地]3ml中に植菌し、30℃で0060が約0.6になるまで培養した。

培養後、遠心分離により集菌し、得られた菌体を50mmo1/1トリスマレイン酸緩衝液 (pH6.0) で一回洗浄し、NTG400mg/Lを含む同緩衝液3m1中、室温で20分間変異処理を行った。該処理菌体を同緩衝液で2回遠心洗浄後、NB培地3m1中、30℃で1時間培養した。

該培養液を生理食塩水で10⁻⁵~10⁻⁶に希釈し、得られた希釈液0.1mlをNB寒天培地 [NB培地に寒天を1.4%含む培地、pH7.2]に塗布し、30℃で2日間培養した。

寒天培地上に生育してきたコロニーを、最少寒天培地M 1 [グルフース 10g、 (NH₄)H₂P0₄ 1g、KCl 0.2g、MgS0₄・7H₂0 0.2g、FeS0₄・7H₂0 10mg、MnS0₄・4~6H₂0 0.2mg、 ZnS0₄・7H₂0 0.9mg、CuS0₄・5H₂0 0.4mg、Na₂B₄0¬・10H₂0 0.09mg、(NH₄)₆Mo¬0₂₄・4H₂0 0.04mg、ビオチン 50mg、p-アミノ安息香酸 2.5mg、チアミン塩酸塩 1mgおよび寒天 16gを水1Lに含み、pH7.2に調整した培地]およびシキミ酸50mg/Lを含むM 1 寒天培地に各々塗布し、30℃で培養した。

最少寒天培地M1では生育せず、シキミ酸50mg/Lを含むM1寒天培地で生育できる株を、シキミ酸要求変異株として分離した。分離されたシキミ酸要求変異株を、シキミ酸50mg/Lを含むM1寒天培地および該培地中のグルコースをリボースに置き換えた培地に各々塗布し、30℃で培養した。

該シキミ酸要求変異株の中で、シキミ酸50mg/Lを含むM1寒天培地で生育するが、 該培地中のグルコースをリボースに置き換えた培地では生育できない株を、シキミ 酸要求性でかつリボース非資化性の変異株として分離した。

分離されたシキミ酸要求性でかつリボース非資化性の変異株を、シキミ酸50mg/Lを含むM 1 培地40ml中30℃で24時間培養後、遠心分離して得た菌体を超音波破砕し、遠心分離することで無細胞抽出液を調製した。該無細胞抽出液を粗酵素液として、トランスケトラーゼの活性を以下のようにして測定した。

トリス 50mmol/l(pH7.5)、NADH 0.2mmol/l、チアミンピロリン酸0.01mmol/l、MgCl₂ 1mmol/l、キシルロース-5-リン酸 0.5mmol/l、リブロース-5-リン酸 0.5mmol/l、 グリセロール-3-リン酸デヒドロゲナーゼおよびトリオースフォスフェートイソメラーゼ混合液(ベーリンガーマンハイム社製) 10μ gを含む反応液に粗酵素液を加えて1.5mlとし、30°Cで反応を行った。

分光光度計を用いて340nmにおけるNADHの吸光度の減少を測定することにより、 生成されるグリセルアルデヒド-3-リン酸量を測定した。

該測定により、分離されたシキミ酸要求性でかつリボース非資化性の変異株より、 グリセルアルデヒド-3-リン酸を全く生成しない、トランスケトラーゼ活性を欠損 した変異株TKT6株を選択した。

コリネバクテリウム グルタミクム TKT6株は、ブダベスト条約に基づいて、平成10年6月30日付けで工業技術院生命工学工業技術研究所、日本国茨城県つくば市東1丁目1番3号 (郵便番号305-8566) にFERM BP-6399号として寄託されている。

(2) トランスケトラーゼ遺伝子およびトランスアルドラーゼ遺伝子を含むD NA断片のクローニング

両遺伝子の供給源としてコリネバクテリウム・グルタミクムATCC31833の染色体 DNAを、該遺伝子の受容菌として実施例1にて取得したコリネバクテリウム・グルタミクムのトランスケトラーゼ遺伝子欠損株TKT6(FERM BP-6399)を用いた。ベクターは、コリネバクテリウム・グルタミクムで複製可能なプラスミドpCSEK20を用いた。pCSEK20は、コリネバクテリウム・グルタミクム由来のプラスミドpCG2 (特開昭58-35197)の複製開始点、同じくコリネバクテリウム・グルタミクム由来のプラスミドpCG4 (特開昭57-183799)のスペクチノマイシンおよびストレプトマイシン耐性遺伝子、およびエシェリヒア・コリの一般的ベクターであるpGA22[J.

Bacteriol., <u>140</u>, 400(1979)]のカナマイシン耐性遺伝子から成るプラスミドである [Appl. Microbiol. Biotechnol., 51, 201 (1999)]。

コリネバクテリウム・グルタミクムATCC31833の培養および培養菌体からの染色体DNAの調製は、特開平6-169785記載の方法に従って行った。pCSEK20 は、これを保有させたコリネバクテリウム・グルタミクムATCC31833の培養菌体から特開平6-169785記載のベクターの調製方法に従って単離した。

コリネバクテリウム・グルタミクムATCC31833の染色体DNAからのトランスケトラーゼ遺伝子およびトランスアルドラーゼ遺伝子を含むDNA断片のクローニングは、以下のようにして行った。

上記のように調製した染色体DNAおよびpCSEK20プラスミドDNA各々1μgを EcoRI (5単位)で切断し、両切断物を宝酒造社製ライゲーションキットを用いて 連結処理した。このようにして構築されたプラスミドを用いて、シキミ酸要求性を 示すコリネバクテリウム・グルタミクムのトランスケトラーゼ遺伝子欠損株

TKT6(FERM BP-6399)を以下の方法で形質転換した。

コリネバクテリウム・グルタミクムTKT6を、NB培地5ml中に植菌し、30℃で1日培 養した種培養液4mlをシキミ酸 $100\mu g/ml$ を含むSSM培地 [グルコース20g、 (NH₄)₂SO₄10g、尿素3g、酵母エキス1g、KH₂PO₄1g、MgCl₂·6H₂O 0.4g、FeSO₄·7H₂O 10mg、 $MnSO_4 \cdot 4 \sim 6H_2O \ 0.2mg$, $ZnSO_4 \cdot 7H_2O \ 0.9mg$, $CuSO_4 \cdot 5H_2O \ 0.4mg$, $Na_2B_4O_7 \cdot 10H_2O \ 0.09mg$, $(NH_4)6Mo_7O_{24} \cdot 4H_2O \cdot 0.04mg$ 、ビオチン $30\mu g$ およびサイアミン塩酸塩1mgを水11に含み、 pH7.2に調整した培地]40mlに植菌し、30℃で0D₆₆₀が0.6になるまで振とう培養した。 菌体を集菌し、該細胞をRCGP培地 [グルコース5g、カザミノ酸5g、酵母エキ Z2.5g、KH₂PO₄ 1.5g、MgCl₂·6H₂O 0.41g、FeSO₄·7H₂O 10mg、MnSO₄·4~6H₂O 2mg、ZnSO₄· 7H₂O 0.9mg、(NH₄)6Mo₇O₂₄·4H₂O 0.04mg、ビオチン30μgおよびサイアミン塩酸塩2mg、 コハク酸二ナトリウム135g、ポリビニルピロリドン (分子量10,000) 30gを水11に 含む培地]のリゾチームを含む溶液)10mlに約10º細胞/mlとなるように懸濁し、L 型試験管に移して30℃で6時間穏やかに振とうし反応させてプロトプラスト化した。 このプロトプラスト菌液0.5mlを小試験管にとり、2,500 imes gで5分間遠心分離し、 TSMC緩衝液(MgCl, 10mmol/l、CaCl, 30mmol/l、トリス50mmol/l、ショ糖400mmol/l、 pH7.5) lmlに再懸濁して遠心洗浄後、TSMC緩衝液0.1mlに再懸濁した。この菌 液に2倍濃度のTSMC緩衝液と上記連結混合液の1対1混合液100μ1を加えて 混和し、ついで T S M C 緩衝液中に 20% PEG6,000 を含む液 0.8 ml を添加して混合した。 3分後、RCGP培地 (pH7.2) 2mlを添加し、2,500×gで5分間遠心分離にかけて上 澄み液を除去し、沈殿したプロトプラストを1mlのRCGP培地に懸濁した。該懸 濁液0.2mlをカナマイシン200μg/mlを含むRCGP寒天培地(RCGP培地に1.4% 寒天を含む培地、pH7.2)に塗布し、30℃で10日間培養した。

寒天培地上に生育したコロニーをかき集め、生理食塩水で2回遠心洗浄後、生理食塩水1mlに懸濁した。この菌液をカナマイシン20 μ g/mlを含有する最少寒天培地M 1 [グルコース10g、 $(NH_4)H_2PO_4$ 1g、KC1 0.2g、 KH_2PO_4 1g、 $MgSO_4 \cdot 7H_2O$ 0.2g、 $FeSO_4 \cdot 7H_2O$ 10mg、 $MnSO_4 \cdot 4 \sim 6H_2O$ 0.2mg、 $ZnSO_4 \cdot 7H_2O$ 0.9mg、 $CuSO_4 \cdot 5H_2O$ 0.4mg、 $Na_2B_4O_7 \cdot 10H_2O$ 0.09mg、 $(NH_4)_6Mo_7O_{24} \cdot 4H_2O$ 0.04mg、Y=2V 点香酸2.5mg、 サイアミン塩酸塩1mgおよび寒天16gを水1lに含み、Y=2V に調整した培地]上に再塗布

して30℃で3日間培養し、カナマイシン耐性で、シキミ酸非要求性となった形質転換株を選択した。

これらの形質転換株から特開平6-169785記載のベクターの調製方法に従ってプラスミドDNAを単離した。形質転換株の一株から得られ、pCTK60と命名したプラスミドは、各制限酵素による切断産物をアガロースゲル電気泳動法で解析した結果、pCSEK20のEcoRI部位に約7.6kbのEcoRIDNA断片が挿入された構造を有していることがわかった。サブクローニングと相補試験の結果、同DNA断片内の約4.1kbのXhoI-EcoRIDNA断片上に、少なくともトランスケトラーゼ遺伝子が存在することがわかった。

(3) XhoI-EcoRIDNA断片の塩基配列決定

上記約4.1kbのXhoI-EcoRIDNA断片を含有するプラスミドから常法に従って該DNA断片を回収した。該DNA断片およびベクターpUC19(宝酒造社製)を種々の制限酵素を用いて分解後、T4DNAリガーゼを用いてベクターDNA断片と分解DNA断片とを結合させた。得られた連結混合液を用いて、常法に従い大腸菌 $DH5\alpha$ (東洋紡社製)を形質転換した。得られた形質転換菌をアンピシリンを最終濃度で $100\mu g/ml$ 含有するLB寒天培地 [トリプトン 10g、酵母エキス 5g、NaCl <math>10g、寒天 20gを水11に溶解した培地]に塗布し、37°Cで16時間培養した。

選択培地上に生育した菌株を、アンビシリンを最終濃度で100μg/ml含有するL B培養液に植菌し、30℃で12時間培養した。培養菌体からアルカリーSDS法 (モレキュラー・クローニング 第2版) によりプラスミドを抽出した。

抽出したプラスミドDNAを用いて、ジデオキシヌクレオシド酵素法によりベクターpUC19に挿入された各種DNA断片の塩基配列を決定した。具体的には、アマシャム社製サーモ・シーケナーゼ・サイクル・シークエンス・キット (Thermo Sequenase cycle sequencing kit; Amersham) を用いてプロトコルに従い反応させた後、ライ・コア社製DNAシークエンサー LONG READER 4200を用いて挿入DNA断片の塩基配列を決定した。該挿入DNA断片の塩基配列を配列番号3に示した。

これら配列の解析は、ソフトウェアー・デベロップメント社製のシークエンス解析ソフト ジェネチック・マック (GENETYX MAC) ATSQ 3.0を用いて行った。

その結果、4.1kbのXho I-EcoRIDNA断片の塩基配列中には、2つのオープンリーディングフレームが存在することが分かった。

それらの塩基配列から推定されるアミノ酸の一次構造を、分類学的にコリネバクテリウム属と近縁のマイコバクテリウム・ツベルクロシスのトランスケトラーゼおよびトランスアルドラーゼのアミノ酸一次構造と比較した結果、配列表の配列番号3記載の塩基配列中373番目から2472番目までのオープンリーディングフレームがトランスケトラーゼ遺伝子であり、2643番目から3722番目までのオープンリーディングフレームがトランスアルドラーゼ遺伝子であることが判明した。該トランスアルドラーゼ遺伝子のオープンリーディングフレームから推測されるアミノ酸配列を配列番号1に、塩基配列を配列番号2に示した。

(4)トランスケトラーゼおよびトランスアルドラーゼの活性測定

上記約4.1kbのXhoI-EcoRIDNA断片の両末端を常法に従って平滑末端に修復後、コリネバクテリウム・グルタミクムで複製可能なベクターpCG116 [Appl. Microbiol. Biotechnol., 51, 201 (1999)]のSmaI部位に挿入して、組換え体プラスミドpHTK65を構築した。コリネバクテリウム・グルタミクムATCC31833を該組換え体プラスミドで形質転換し、該形質転換株のトランスケトラーゼおよびトランスアルドラーゼの活性を測定した。トランスケトラーゼ活性は特開平6-169785記載の方法に従って測定した。トランスアルドラーゼ活性は、以下のようにして測定した。

トリス 40mmol/l (pH7.6)、ジホスホビリジン 0.1mmol/l、フルクトース 6 —リン酸 2.8mmol/l、エリスロース 4 —リン酸 0.2mmol/l、グリセロールー3 —リン酸 一デヒドロゲナーゼおよびトリオースフォスフェートーイソメラーゼ混合液 (ベーリンガー マンハイム社製)10 μgを含む反応液に粗酵素液を加えて1mlとし、25℃で反応を開始した。生成したグリセルアルデヒドー3 —リン酸を、分光光度計を用いて340nmにおける吸光度の減少を測定することにより定量した。その結果、ATCC31833株のトランスケトラーゼおよびトランスアルドラーゼの単位蛋白質重量および単位時間あたりの活性をそれぞれ1とした時のpHTK65を保有する形質転換

株の活性は、いずれも5倍以上に増加していた。

産業上の利用可能性

本発明で新規に見い出されたトランスアルドラーゼ遺伝子、その塩基配列情報、該遺伝子にコードされるポリペプチド、またはそのアミノ酸配列情報を用いることにより、アミノ酸発酵等で広く用いられている産業上重要なコリネバクテリウム属に属する微生物のトランスアルドラーゼを所望に改変した発酵生産菌を育種することができる。さらに、糖類やその誘導体の合成など、立体選択的な炭素-炭素結合形成反応に有用なトランスアルドラーゼ高活性株を育種することができる。

請求の範囲

- 1. 配列番号 1 記載のアミノ酸配列からなるポリペプチド。
- 2. 配列番号 1 記載のポリペプチドにおいて、 1 以上のアミノ酸が欠失、置換若しくは付加されたアミノ酸配列からなり、かつトランスアルドラーゼ活性を有するポリペプチド。
- 3. 配列番号1記載のアミノ酸配列と60%以上の相同性を有するアミノ酸配列を含み、かつトランスアルドラーゼ活性を有する蛋白質。
 - 4. 請求項1~3いずれか1項に記載のポリペプチドをコードするDNA。
 - 5. 配列番号 2 記載の塩基配列を有する DNA。
- 6. 請求項4または5記載のDNAとストリンジェントな条件下でハイブリダイズするDNAであり、かつトランスアルドラーゼ活性を有するポリペプチドをコードするDNA。
- 7. 請求項4~6いずれか一項に記載のDNAをベクターに組み込んで得られる組換え体DNA。
 - 8. 請求項7記載の組換え体DNAを保有する形質転換体。
- 9. 請求項8記載の形質転換体が保有する請求項4~6いずれか1項に記載のDNA、または該DNAの上流に存在する転写・翻訳に関わるDNAの塩基配列中に1以上の塩基が置換、欠失若しくは挿入され、かつ該置換、欠失若しくは挿入前に比べてトランスアルドラーゼの活性が増強された形質転換体。
- 10. 形質転換体が、芳香族アミノ酸または芳香族ビタミンを生産する能力を有する形質転換体である、請求項8または9記載の形質転換体。
- 11. 請求項10記載の形質転換体を培地に培養し、培養物中に芳香族アミノ酸または芳香族ビタミンを生成蓄積させ、該培養物より該物質を採取することを特徴とする、該物質の製造法。
- 12. 請求項8記載の形質転換体が保有する請求項4~6いずれか1項に記載のDNA、または該DNAの上流に存在する転写・翻訳に関わるDNAの塩基配列中に1以上の塩基が置換、欠失若しくは挿入され、かつ該置換、欠失若しくは挿入前に比べてトランスアルドラーゼの活性が低下または欠損した形質転換体。

- 13. 形質転換体が、L-ヒスチジン、リボフラビン、核酸および核酸関連物質から選ばれる物質を生産する能力を有する形質転換体である、請求項8または12記載の形質転換体。
- 14. 請求項13記載の形質転換体を培地に培養し、培養物中にL-ヒスチジン、リボフラビン、核酸および核酸関連物質から選ばれる物質を生成蓄積させ、該培養物より該物質を採取することを特徴とする、該物質の製造法。
- 15. 請求項 8 記載の形質転換体を培地に培養し、培養物中に請求項 $1 \sim 3$ いずれか 1 項に記載のポリペプチドを生成蓄積させ、該培養物より該ポリペプチドを採取することを特徴とする、請求項 $1 \sim 3$ いずれか 1 項に記載のポリペプチドの製造法。
- 16. 請求項8または9記載の形質転換体、該形質転換体の培養物または該培養物の処理物を酵素源として用い、ケトースおよびアルドースを水性媒体中に存在せしめ、該水性媒体中に該アルドースに該ケトースのジヒドロキシアセトン部分の転移された糖を生成蓄積させ、該水性媒体から該糖を採取することを特徴とする、該糖の製造法。

<u>配列表</u> SEQUENCE LISTING

<110	> KY	OWA	HAKK	O KO	GYO	CO.,	LTD)						•		
<120	> No	vel	Tran	sald	olas	e			. '							
<130	> 11	236W	101		•											
<140 <141															-	
<150 <151		-														
<160	> 3		-													
<170	> Pa	tent	In V	er.	2.0											٠
<210 <211 <212 <213	> 36 > PB	T	ebact	eriu	ım g]	lutar	nicum	n AT(CC313	388						
<400	> 1								-							
atg Met 1	tct Ser	cac His	att Ile	gat Asp 5	gat Asp	ctt Leu	gca Ala	cag Gln	ctc Leu 10	ggc Gly	act Thr	tcc Ser	act Thr	tgg Trp 15	ctc Leu	48
gac Asp	gac Asp	ctc Leu	tcc Ser 20	Arg	Glu	cgc Arg	Ile	Thr	tcc Ser	ggc Gly	aat Asn	ctc Leu	agc Ser 30	cag Gln	gtt Val	96
						gtc Val										14
gca Ala	gca Ala 50	gca Ala	atg Met	tcc Ser	aag Lys	ggc Gly 55	gat Asp	tcc Ser	tac Tyr	gac Asp	gct Ala 60	cag Gln	atc Ile	gca Ala	gag Glu	19

														atg Met		240
														ttc Phe 95		288
														cca Pro		336
														ctg Leu		384
														acc Thr		- 432
														agc Ser		480
														atc Ile 175		528
gcg Ala	tac Tyr	atc Ile	gag Glu 180	gga Gly	atc Ile	aag Lys	cag Gln	gca Ala 185	Ala	gca Ala	aac Asn	ggc Gly	cac His 190	gac Asp	gta Val	576
			His					Phe					Val	gac Asp		624
		Asp										Glu			gct Ala	672
ctg	cgc	ggc	aag	gca	ggc	gtt	gcc	aac	gct	cag	cgc	gct	tac	gct	gtg	720

WO 01/21774 PCT/JP00/06471

3/12

									٠, -	_							
	Leu 225	Arg	Gly	Lys	Ala	Gly 230	Val	Ala	Asn	Ala	Gln 235	Arg	Ala	Tyr	Ala	Val 240	
						gac Asp											768
						gca Ala										gct Ala	816
						tcc Ser											864
						atc Ile											912
						aac Asn 310											960
						ggc Gly											1008
					Val	gac Asp				Ala					Leu		1056
			_	-	_	cgc Arg											
-	<21 <21		NA	ebac:	teri	um g	luta	nicu	m AT	CC31	388		•				
		•	- 0														

<400> 2



atgtctcaca ttgatgatct tgcacagctc ggcacttcca cttggctcga cgacctctcc 60 cgcgagcgca ttacttccgg caatctcagc caggttattg aggaaaagtc tgtagtcggt 120 gtcaccacca acccagctat tttcgcagca gcaatgtcca agggcgattc ctacgacgct 180 cagategeag ageteaagge egetggegea tetgttgace aggetgttta egecatgage 240 atcgacgatg ttcgcaatgc ttgtgatctg ttcaccggca tcttcgagtc ctccaacggc 300 tacgacggcc gcgtgtccat cgaggttgac ccacgtatct ctgctgaccg cgacgcaacc 360 ctggctcagg ccaaggagct gtgggcaaag gttgatcgtc caaacgtcat gatcaagatc 420 cctgcaaccc caggttcttt gccagcaatc accgacgctt tggctgaggg catcagcgtt 480 aacgtcacct tgatcttctc cgttgctcgc taccgcgagg tcatcgctgc gtacatcgag 540 ggaatcaagc aggcagctgc aaacggccac gacgtatcca agatccactc tgtggcttcc 600 ttcttcgtct cccgcgtcga cgttgagatc gacaagcgcc tcgaggcaat cggatccgat 660 gaggetttgg etetgegegg caaggeagge gttgecaaeg eteagegege ttaegetgtg 720 tacaaggage ttttegacge egeegagetg cetgaaggtg ceaacactea gegeecactg 780 tgggcatcca ccggcgtgaa gaaccctgcg tacgctgcaa ctctttacgt ttccgagctg 840 gctggtccaa acaccgtcaa caccatgcca gaaggcacca tcgacgctgt tctggaactg 900 ggcaacctgc acggtgacac cctgtccaac tccgcggcag aagctgacgc tgtgttctcc 960 cagettgagg etetgggegt tgaettggea gatgtettee aggteetgga gaeegagggt 1020 gtggacaagt ttgttgcttc ttggagcgaa ctgcttgagt ccatggaagc tcgcctgaag 1080

<210> 3

<211> 4108

<212> DNA

<213> Corynebacterium glutamicum ATCC31388

	THIS PAGE BLANK		
·			
		·	

•

•

651

5/12

<221> CDS <222> (373)..(2472)

<221> CDS

<222> (2643)..(3722)

<400> 3

tcgagagttt gaaggggtcc gattcgttcc gttcgtgacg ctttgtgagg ttttttgacg 60 ttgcaccgta ttgcttgccg aacatttttc ttttcctttc ggtttttcga gaattttcac 120 ctacaaaagc ccacgtcaca gctcccagac ttaagattgg tcacaccttt gacacatttg 180 aaccacagtt ggttataaaa tgggttcaac atcactatgg ttagaggtgt tgacgggtca 240 gattaagcaa agactacttt cggggtagat cacctttgcc aaatttgaat caattaacct 300 aagtegtaga tetgateate ggatetaaeg aaaaegaaee aaaaetttgg teeeggttta 360 acceaggaag ga atg acc acc ttg acg ctg tca cct gaa ctt cag gcg ctc 411 Met Thr Thr Leu Thr Leu Ser Pro Glu Leu Gln Ala Leu 10 5 1 act gta cgc aat tac ccc tct gat tgg tcc gat gtg gac acc aag gct 459 Thr Val Arg Asn Tyr Pro Ser Asp Trp Ser Asp Val Asp Thr Lys Ala 25 15 20 gta gac act gtt cgt gtc ctc gct gca gac gct gta gaa aac tgt ggc 507 Val Asp Thr Val Arg Val Leu Ala Ala Asp Ala Val Glu Asn Cys Gly 40 35 30 555 tcc ggc cac cca ggc acc gca atg agc ctg gct ccc ctt gca tac acc Ser Gly His Pro Gly Thr Ala Met Ser Leu Ala Pro Leu Ala Tyr Thr 55 50 603 ttg tac cag cgg gtt atg aac gta gat cca cag gac acc aac tgg gca Leu Tyr Gln Arg Val Met Asn Val Asp Pro Gln Asp Thr Asn Trp Ala

70

90

ggc cgt gac cgc ttc gtt ctt tct tgt ggc cac tcc tct ttg acc cag

Gly Arg Asp Arg Phe Val Leu Ser Cys Gly His Ser Ser Leu Thr Gln

85

65

80

tac Tyr	atc Ile 95	cag Gln	ctt Leu	tac Tyr	ttg Leu	ggt Gly 100	gga Gly	ttc Phe	ggc Gly	ctt Leu	gag Glu 105	atg Met	gat Asp	gac Asp	ctg Leu	699
aag Lys 110	gct Ala	ctg Leu	cgc Arg	acc Thr	tgg Trp 115	gat Asp	tcc Ser	ttg Leu	acc Thr	cca Pro 120	gga Gly	cac His	cct Pro	gag Glu	tac Tyr 125	747
cgc Arg	cac His	acc Thr	aag Lys	ggc Gly 130	gtt Val	gag Glu	atc Ile	acc Thr	act Thr 135	ggc Gly	cct Pro	ctt Leu	ggc Gly	cag Gln 140	ggt Gly	7 95
ctt Leu	gca Ala	tct Ser	gca Ala 145	gtt Val	ggt Gly	atg Met	gcc Ala	atg Met 150	gct Ala	gct Ala	cgt Arg	cgt Arg	gag Glu 155	cgt Arg	ggc Gly	843
cta Leu	ttc Phe	gac Asp 160	cca Pro	acc Thr	gct Ala	gct Ala	gag Glu 165	ggc Gly	gaa Glu	tcc Ser	cca Pro	ttc Phe 170	gac Asp	cac His	cac His	891
										cag Gln		Gly				939
gag Glu 190	Ala	tcc Ser	tcc Ser	atc Ile	gct Ala 195	ggc Gly	acc Thr	cag Gln	cag Gln	ctg Leu 200	ggc Gly	aac Asn	ctc Leu	atc Ile	gtg Val 205	987
ttc Phe	tgg Trp	gat Asp	gac Asp	aac Asn 210	cgc Arg	atc Ile	tcc Ser	atc Ile	gaa Glu 215	Asp	aac Asn	act Thr	gag Glu	atc Ile 220	gct Ala	1035
ttc Phe	aac Asn	gag Glu	gac Asp 225	gtt Val	gtt Val	gct Ala	cgt Arg	tac Tyr 230	Lys	gct	tac Tyr	ggc	tgg Trp 235	Gln	acc Thr	1083
att Ile	gag Glu	gtt Val 240	Glu	gct Ala	ggc Gly	gag Glu	gac Asp 245	Val	gca Ala	gca Ala	atc Ile	gaa Glu 250	Ala	gca Ala	gtg Val	1131
gct	gag	gct	aag	aag	gac	acc	aag	cga	cct	acc	ttc	ato	cgc	gtt	cgc	1179

la	Glu 255	Ala	Lys	Lys	Asp	Thr 260	Lys	Arg	Pro	Thr	Phe 265	Ile	Arg	Val	Arg	
hr																1227
																1275
																1323
			_													1371
	_	_	_													1419
la																1467
				Thr	Trp	Asp	Ala	Asp	Glu	Lys	Gly	Val				1515
																1563
																1611
					Phe	Gly										1659
	cc hr 70 ac is tteu ct la gg rp ct la sp lag ys etgu lag	cc atchr lle 70 ac ggt is Gly tt gga eu Gly ct cac la His gg cag rp Gln 335 ct ctg la Leu so gac gag sp Glu ag gct ys Ala etg tgg eu tys Gly	cc atc atc hr lle lle 70 ac ggt gct is Gly Ala tt gga ttc eu Gly Phe ct cac acc la His Thr 320 ag cag gtc rp Gln Val 335 ac t ct gtc la Leu Phe 550 ac gag ctc cla Leu Phe 550 ac gag ct cc cl	cc atc atc ggc hr He Ile Gly 70 ac ggt gct gct is Gly Ala Ala tt gga ttc gat eu Gly Phe Asp 305 ac cac acc cgc la His Thr Arg 320 gg cag gtc aag rp Gln Val Lys 335 act ctg ttc gat la Leu Phe Asp 350 ac gag ctc cca la Leu Phe Asp 360 ac gag ctc cca asp Glu Leu Pro ag gct tcc gag ys Ala Ser Glu 385 atg tgg ggc ggt eu Trp Gly Gly 400 aag ggc tcc cct ys Gly Ser Pro	cc atc atc ggc ttc hr He He He Gly Phe 70 ac ggt gct gct ctt his Gly Ala Ala Leu 290 tt gga ttc gat cct eu Gly Phe Asp Pro 305 ac cac acc cgc tcc ha His Thr Arg Ser 320 gg cag gtc aag ttc rp Gln Val Lys Phe 335 act ctg ttc gat cgc ha Leu Phe Asp Arg 50 ac gag ctc cca aca hap Glu Leu Pro Thr 370 ag gct tcc gag gct hys Ala Ser Glu Ala 385 at tgg ggc ggt tcc he tgg ggc ggt tcc ha tgg ggc tcc cct tcc hr He Asp Arg ha Ser Glu Ala 385	cc atc atc ggc ttc cca hr lle lle Gly Phe Pro 275 ac ggt gct gct ctt ggc is Gly Ala Ala Leu Gly 290 tt gga ttc gat cct gag eu Gly Phe Asp Pro Glu 305 ct cac acc cgc tcc ctc la His Thr Arg Ser Leu 320 gg cag gtc aag ttc gat rp Gln Val Lys Phe Asp 335 ct ctg ttc gat cgc ctg la Leu Phe Asp Arg Leu 350 ac gag ctc cca aca tgg lasp Glu Leu Pro Thr Trp 370 aag gct tcc gag gct gca lasp Glu Leu Pro Thr Trp 370 aag gct tcc gag gct gca lasp Glu Leu Pro Thr Trp 370 aag gct tcc gag gct gca lasp Glu Leu Pro Ser Ala 400 aag ggc tcc cct tcc ttc lasp Gly Ser Pro Ser Phe	cc atc atc ggc ttc cca gct hr lle lle Gly Phe Pro Ala 275 ac ggt gct gct ctt ggc gca is Gly Ala Ala Leu Gly Ala 290 tt gga ttc gat cct gag gct eu Gly Phe Asp Pro Glu Ala 305 act cac acc cgc tcc ctc gca la His Thr Arg Ser Leu Ala 320 gg cag gtc aag ttc gat gag grp Gln Val Lys Phe Asp Glu 335 act ctg ttc gat cgc ctg aac la Leu Phe Asp Arg Leu Asn 355 ac gag ctc cca aca tgg gat lsp Glu Leu Pro Thr Trp Asp 370 ag gct tcc gag gct gca ctt lsp Gly Ala Ala Leu 385 ag gct tcc gag gct gca ctt lsp Gly Ala Ala Ala Leu 385 ag gct tcc gag gct gca ctt lsp Gly Gly Ser Ala Asp 400 ag ggc tcc cct tcc ttc ggc gag ggg ggc ggt tcc gca ctc gag ggc ggt tcc gca ctc gag ggc ggt tcc gca ctc gag ggc ggt tcc gca gac ggg ggc ggt tcc gca ctc gag ggc tcc cct tcc ttc ggc ggg ggc ggt tcc gca ctc gag ggc tcc cct tcc ttc ggc ggg ggc ggc gg	cc atc atc ggc ttc cca gct cca hr Ile Ile Gly Phe Pro Ala Pro 275 ac ggt gct gct ctt ggc gca gct is Gly Ala Ala Leu Gly Ala Ala 290 tt gga ttc gat cct gag gct cac eu Gly Phe Asp Pro Glu Ala His 305 act cac acc cgc tcc ctc gca gag la His Thr Arg Ser Leu Ala Glu 320 gg cag gtc aag ttc gat gag tgg rp Gln Val Lys Phe Asp Glu Trp 335 act ctg ttc gat cgc ctg aac tcc la Leu Phe Asp Arg Leu Asn Ser 355 acc gag ctc cca aca tgg gat gca sp Glu Leu Pro Thr Trp Asp Ala 370 aag gct tcc gag gct gca ctt cag gct gca ctt cag gcy Ala Ser Glu Ala Ala Leu Gln 385 atg gg gg ggt tcc gct gac ctc ctg gg gg ggt tcc gct gac ctc ctg gg ggt tcc gct gac ctc ctg gg gg ggt tcc gct gac ctc ctg tg gg gg ggt tcc gct gac ctc ctg tg gg gg ggt tcc gct gac ctc ctg gg gg ggt tcc gct gac ctc ctg gg gg ggt tcc gct gac ctc ctg gg gg gg ggt tcc gct gac ctc ctg gg gg gg ggt tcc gct gac ctc ctg gg g	cc atc atc ggc ttc cca gct cca acc hr Ile Ile Gly Phe Pro Ala Pro Thr 275 ac ggt gct gct ctt ggc gca gct gag is Gly Ala Ala Leu Gly Ala Ala Glu 290 tt gga ttc gat cct gag gct cac ttc eu Gly Phe Asp Pro Glu Ala His Phe 305 ct cac acc cgc tcc ctc gca gag cgc la His Thr Arg Ser Leu Ala Glu Arg 320 gg cag gtc aag ttc gat gag tgg gca rp Gln Val Lys Phe Asp Glu Trp Ala 335 ct ct ttc gat cgc ctg aac tcc cgt la Leu Phe Asp Arg Leu Asn Ser Arg 150 gac gag ctc cca aca tgg gat gca gat lsp Glu Leu Phe Asp Arg Leu Asn Ser Arg 370 aag gct tcc gag gct gca ctt cag gca gca gct gca ctt cag gca lsp Glu Leu Pro Thr Trp Asp Ala Asp 370 aag gct tcc gag gct gca ctt cag gca lsp Glu Ala Ala Leu Gln Ala 385 ctg tgg ggc ggt tcc ct gct gac ctc gca lsp Gly Ser Ala Asp Leu Ala 400 aag gct tcc cct tcc ttc ggc cct gag cct gca ctc gca lag gca ctc gca lsp Gly Ser Ala Asp Leu Ala 400 aag gct tcc cct tcc ttc ggc cct gag lag gca cct gca lsp Gly Ser Pro Ser Phe Gly Pro Glu	cc atc atc ggc ttc cca gct cca acc atg hr Ile Ile Gly Phe Pro Ala Pro Thr Met 70	cc atc atc ggc ttc cca gct cca acc atg atg hr lle lle Gly Phe Pro Ala Pro Thr Met Met 280 ac ggt gct gct ctt ggc gca gct gag gtt gca is Gly Ala Ala Leu Gly Ala Ala Glu Val Ala 290 tt gga ttc gat cct gag gct cac ttc gcg atc eu Gly Phe Asp Pro Glu Ala His Phe Ala Ile 305 act cac acc cgc tcc ctc gca gag cgc gct gca atc His Thr Arg Ser Leu Ala Glu Arg Ala Ala 325 agg cag gtc aag ttc gat gat gag tgg gca gct gcc rp Gln Val Lys Phe Asp Glu Trp Ala Ala Ala 335 act ctg ttc gat cgc ctg aac tcc cgt gag ctgs gca gct gca acc acc acc acc acc acc acc acc acc	cc atc atc ggc ttc cca gct cca acc atg atg aac hr Ile Ile Gly Phe Pro Ala Pro Thr Met Met Asn 280 ac ggt gct gct ctt ggc gca gct gag gtt gca gca is Gly Ala Ala Leu Gly Ala Ala Glu Val Ala Ala 290 tt gga ttc gat cct gag gct cac ttc gcg atc gac eu Gly Phe Asp Pro Glu Ala His Phe Ala Ile Asp 305 cct cac acc cgc tcc ctc gca gag cgc gct gca cag la His Thr Arg Ser Leu Ala Glu Arg Ala Ala Gln 320 gg cag gtc aag ttc gat tgat gag tgg gca gct gca acc acc rp Gln Val Lys Phe Asp Glu Trp Ala Ala Ala Asn 345 cct ctg ttc gat cgc ctg aac tcc cgt gag ctc cca la Leu Phe Asp Arg Leu Asn Ser Arg Glu Leu Pro 355 ac gag ctc cca aca tgg gat gca gat gag aag gcc gct gca acc asp Glu Leu Pro Thr Trp Asp Ala Asp Glu Lys Gly 370 ac gag ct ccc gag gct gca ctt cag gca ctg gcc acc gct gcc acc gag ctc ccc acc acc acc acc tgg gat gca gct gcc acc acc acc gag ctc ccc acc acc acc acc acc tgg gat gca gct gcc ctc acc acc acc acc acc acc acc acc a	255	cc atc atc ggc ttc cca gct cca acc atg atg aac acc ggt hr Ile Ile Gly Phe Pro Ala Pro Thr Met Met Asn Thr Gly 275 ac ggt gct gct ctt ggc gca gct gag gtt gca gca acc aag is Gly Ala Ala Leu Gly Ala Ala Ala Glu Val Ala Ala Thr Lys 290 tt gga ttc gat cct gag gct cac ttc gcg atc gac gat gag eu Gly Phe Asp Pro Glu Ala His Phe Ala Ile Asp Asp Glu 310 act cac acc cgc tcc ctc gca gag cgc gct gca cag aag aag aag laa His Thr Arg Ser Leu Ala Glu Arg Ala Ala Gln Lys Lys 320 agg cag gtc aag ttc gat gat gag tgg gca gct gca cag aag aag aag rp Gln Val Lys Phe Asp Glu Trp Ala Ala Ala Ala An Pro Glu 335 act ctg ttc gat cgc ctg aac tcc cgt gag ctt cca gag gcc gcc gct gca acc ct gag rp Gln Val Lys Phe Asp Glu Trp Ala Ala Ala Ala An Pro Glu 355 act ctg ttc gat cgc ctg aac tcc cgt gag ctt cca gag gcc gcc gcc gcc acc gag gcc gcc	cc atc atc ggc ttc cca gct cca acc atg atg aac acc ggt gct hr Ile Ile Gly Phe Pro Ala Pro Thr Met Met Asn Thr Gly Ala 280 ac ggt gct gct ctt ggc gca gct gag gtt gca gca acc aag act is Gly Ala Ala Leu Gly Ala Ala Glu Val Ala Ala Thr Lys Thr 290 tt gga ttc gat cct gag gct cac ttc gcg atc gac gat gag gtt gca gct gca acc acc acc cdc dcac acc cdc tcc gca gcd	cc atc atc ggc ttc cca gct cca acc atg atg aac acc ggt gct gtg hr lle lle Gly Phe Pro Ala Pro Thr Met Met Asn Thr Gly Ala Val 285 ac ggt gct gct ctt ggc gca gct gag gtt gca gca acc aag act gag gtt gca gca gca acc aag act gag gtt gag ttc gag ttc gag gtt gca gca acc aag act gag gtt gag ttc gag ttc gag gtt gca gca acc aag act gag gtt gag ttc gag ttc gag atc gag gtt atc gal his Thr Arg Ser Leu Ala Glu Arg Ala Ala Gln Lys Lys Ala Ala ala Gln Lys Jys Ala

tct Ser 430	gct Ala	gag Glu	cct Pro	tac Tyr	ggc Gly 435	cgt Arg	aac Asn	ctg Leu	cac His	ttc Phe 440	ggt Gly	atc Ile	cgt Arg	gag Glu	cac His 445	1707
gct Ala	atg Met	gga Gly	tcc Ser	atc Ile 450	ctc Leu	aac Asn	ggc Gly	att Ile	tcc Ser 455	ctc Leu	cać His	ggt Gly	ggc Gly	acc Thr 460	cgc Arg	1755
												atg Met				1803
												tac Tyr 490				1851
cac His	gac Asp 495	tcc Ser	atc Ile	ggt Gly	ctg Leu	ggc Gly 500	gaa Glu	gat Asp	ggc Gly	cca Pro	acc Thr 505	cac His	cag Gln	cct Pro	gtt Val	1899
gaa Glu 510	acc Thr	ttg Leu	gct Ala	gcg Ala	ctg Leu 515	cgc Arg	gcc Ala	atc Ile	cca Pro	ggt Gly 520	ctg Leu	tcc Ser	gtc Val	ctg Leu	cgt Arg 525	1947
cct Pro	gca Ala	gat Asp	gcg Ala	aat Asn 530	gag Glu	acc Thr	gcc Ala	cag Gln	gct Ala 535	Trp	gct Ala	gca Ala	gca Ala	ctt Leu 540	gag Glu	1995
tac Tyr	aag Lys	gaa Glu	ggc Gly 545	Pro	aag Lys	ggt Gly	ctt Leu	gca Ala 550	Leu	acc Thr	cgc Arg	cag Gln	aac Asn 555	Val	cct Pro	2043
gtt Val	ctg Leu	gaa Glu 560	Gly	acc Thr	aag Lys	gag Glu	aag Lys 565	Ala	gct Ala	gaa Glu	ggc Gly	gtt Val 570	Arg	cgo Arg	ggt Gly	2091
ggc Gly	tac Tyr 575	Val	ctg Leu	gtt Val	gag Glu	ggt Gly 580	Ser	aag Lys	gaa Glu	acc Thr	cca Pro 585	Asp	gtg Val	ato Ile	ctc Leu	2139
atg	ggc	tcc	ggc	tcc	gag	gtt	cag	ctt	gca	gtt	aac	gct	gcg	aaa	a gct	2187

Met 590		Ser	Gly	Ser	Glu 595	Val	Gln	Leu	Ala	Val 600		Ala	Ala	Lys	Ala 605	
		gct Ala			Val					Val						2235
		ttc Phe							Tyr							2283
		gtg Val 640														2331
		cgc Arg														2379
		gct Ala														2427
		gat Asp	Ala													2472
taat	ttgcc	ect g	ctgt	tttt	a go	ttca	acco	ggg	gcag	tat	gatt	ctcc	gg a	attt	tattg	2532
ccc	egggt	tg t	tgtt	gtta	a to	ggta	caaa	ggg	tctt	aag	caca	itece	tt a	ettg	cctgc	2592
tete	ecttg	ag c	acag	ttca	a ga	acaa	ttet	ttt	aagg	aaa	attt	agtt		itg t let S		2648
		gat Asp 5														2696
		cgc Arg														2744

								10/	12						
								acc Thr			-				2792
	_		-		_			gac Asp	-	_		_	-	_	2840
-	-	-				-	-	gct Ala 75	-		_		_	_	2888
					-	-	_	ttc Phe							2936
	_							atc Ile	-	-	_				2984
	-					_	_	cag Gin	_	_		_			3032
					-	_		aag Lys							3080
								gct Ala 155							3128
					_	_	_	tac Tyr	_	_	_				3176
								gca Ala							3224
				_				gtc Val		_	_	_	-		3272

								11/	12							
195					200					205					210	
_	aag Lys	-			_				_		_	_	_	_	_	3320
	aag Lys															3368
	ctt Leu			_	_		_		-		_				_	3416
	ctg Leu 260														act Thr	3464
	tac Tyr	_			_	_					_			_		3512
	ggc Gly															3560
	ctg Leu					_	_	_	_					_		3608
	gct Ala	_		_	-	_	_	_	_		_	_	_			3656
	ggt Gly 340															3704
_	gaa Glu	-	_			taga	atca	igc a	icgct	gcat	c as	gtaac	eggeg	5		3752

WO 01/21774 - PCT/JP00/06471

12/12

acatgaaatc gaattagtte gatettatgt ggeegttaca catettteat taaagaaagg 3812
ategtgaege taecategtg ageacaaaca egaceeete eagetgaea aaceeaetge 3872
gegaeeegea ggataaacga eteeeegea tegetggeee tteeggeatg gtgatetteg 3932
gtgteaetgg egaettgget egaaggaage tgeteeege eatttatgat etageaaace 3992
geggattget geeeeagga ttetegttgg taggttaegg eegeeggaa tggteeaaag 4052
aagaetttga aaaataegta egegatgeeg eaagtgetgg tgetegtaeg gaatte 4108



aternati nal application No.

PCT/JP00/06471

	THE ATTENDED TO A MATTER		
A. CLASS Int.	IFICATION OF SUBJECT MATTER C1 ⁷ C12N 9/10, C12N 15/54, C12N	N 1/21, C12P 19/18	
According to	International Patent Classification (IPC) or to both nat	tional classification and IPC	
	SEARCHED		
Minimum do Int.	cumentation searched (classification system followed by C1 ⁷ C12N 9/10, C12N 15/54, C12	oy classification symbols) N 1/21, C12P 19/18	. :
Documentati	on searched other than minimum documentation to the	extent that such documents are included	in the fields searched
GenB	ata base consulted during the international search (name ank/EMBL/DDBJ/GeneSeq, SwissProt, DLINE (STN)	e of data base and, where practicable, sear PIR/GeneSeq, WPI (DIALOG)	rch terms used) , BIOSIS (DIALOG
C. DOCUI	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
x	KOHLER, U. et al., "Transald cyanobacteria Anabaena variab sp.PCC 6803:comparis on with eukaryotic homologues", Plant Mc No.1, pp.213-218, Acc. No. P551	ilis and Synechocystis other eubacterial and ol. Biol. (1996) Vol.30,	2-4,6-16
х	COLE, S. T. et al., "Decipon Mycobacterium tuberculosis from sequence", Nature (1998) Vol.39 Acc. No. C70917	om the complete genome	2-4,6-16
	'		
· ·			
Furthe	r documents are listed in the continuation of Box C.	See patent family annex.	
"A" docum	categories of cited documents: ent defining the general state of the art which is not	"T" later document published after the inte priority date and not in conflict with the understand the principle or theory und	ne application but cited to
"E" earlier	red to be of particular relevance document but published on or after the international filing	"X" document of particular relevance; the	claimed invention cannot be
date "I." docum	ent which may throw doubts on priority claim(s) or which is	considered novel or cannot be conside step when the document is taken alone "Y" document of particular relevance; the	:
snecial	establish the publication date of another citation or other reason (as specified)	considered to involve an inventive ste	p when the document is
"O" docum	ent referring to an oral disclosure, use, exhibition or other	combined with one or more other such combination being obvious to a person	n gocuments, such n skilled in the art
means "P" docume than the	ent published prior to the international filing date but later e priority date claimed	"&" document member of the same patent	family
Date of the	actual completion of the international search october, 2000 (19.10.00)	Date of mailing of the international sear 31 October, 2000 (32	rch report 1.10.00)
Name and m	nailing address of the ISA/	Authorized officer	
Faccimile N		Teleph ne N	

国際出願番号 PCT/JP00/06471

A. 発明の属する分野の分類(国際特許分類(IPC))

Int. Cl' Cl2N 9/10, Cl2N 15/54, Cl2N 1/21, Cl2P 19/18

B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl' C12N 9/10, C12N 15/54, C12N 1/21, C12P 19/18

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース(データベースの名称、調査に使用した用語)

GenBank/EMBL/DDBJ/GeneSeq, SwissProt/PIR/GeneSeq, WPI (DIALOG), BIOSIS (DIALOG), MEDLINE (STN)

C. 関連する	5と認められる文献	÷ ,
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
x	KOHLER, U. et al. "Transaldolase genes from the cyanobacteria Anabaena variabilis and Synechocystis sp. PCC 6803:comparis on with other eubacterial and eukaryotic homologues", Plant Mol. Biol. (1996) Vol. 30, No. 1, p. 213-218, Acc. No. P55193	2-4, 6-16
X	COLE, S. T. et al. "Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence", Nature (1998) Vol. 393, No. 6685, p. 537-544, Acc. No. C70917	2-4, 6-16

□ C欄の続きにも文献が列挙されている。

パテントファミリーに関する別紙を参照。

- * 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「O」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

の日の後に公表された文献

- 「T」国際出願日又は優先日後に公表された文献であって 出願と矛盾するものではなく、発明の原理又は理論 の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日 19.10.00 国際調査機関の名称及びあて先 日本国特許庁 (ISA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号

国際調査報告の発送日

特許庁審査官 (権限のある職員) 4B 9281